

# Torque screwdriver - TSD-M 6NM

1212226

<https://www.phoenixcontact.com/de/produkte/1212226>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 3 - 6 Nm

---

## Your advantages

- TSD-M... torque screwdrivers are easy to adjust to the required torque within the range of 3.0 Nm ... 6,0 Nm
- Torque screwdrivers with hexagonal fast connection holder
- High-precision, finely adjustable torque screwdrivers according to EN ISO 6789

# Torque screwdriver - TSD-M 6NM



1212226

<https://www.phoenixcontact.com/de/produkte/1212226>

## Commercial Data

Item number	1212226
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	N2 - Druck.Zubh.+HandWKZ
Product Key	BH314A
Catalog Page	Page 453 (C-3-2019)
GTIN	4046356455572
Weight per Piece (including packing)	271 g
Weight per Piece (excluding packing)	267,9 g
Customs tariff number	82054000
Country of origin	CZ

# Torque screwdriver - TSD-M 6NM



1212226

<https://www.phoenixcontact.com/de/produkte/1212226>

## Technical Data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Product type

Torque tool

### Connection data

Torque range

$\leq \pm 3 \text{ Nm} \dots 6 \text{ Nm } 6 \%$

Output

External hexagonal

### Dimensions

Width

37.5 mm

Blade width

0 mm

Height

100 mm

Length

152 mm

Blade thickness

0 mm

### Material specifications

Color

black

# Torque screwdriver - TSD-M 6NM



1212226

<https://www.phoenixcontact.com/de/produkte/1212226>

## Approvals



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# Torque screwdriver - TSD-M 6NM



1212226

<https://www.phoenixcontact.com/de/produkte/1212226>

## Classifications

### ECLASS

ECLASS-9.0	21040417
ECLASS-10.0.1	21040417
ECLASS-11.0	21040417

### ETIM

ETIM 8.0	EC011814
----------	----------

### UNSPSC

UNSPSC 21.0	27111700
-------------	----------

# Torque screwdriver - TSD-M 6NM

1212226

<https://www.phoenixcontact.com/de/produkte/1212226>



## Accessories

### Screw insert

Screw insert - BHN 5,5 - 1209965

<https://www.phoenixcontact.com/de/produkte/1209965>



Nut, hexagonal, 5.5 mm

---

### Screw insert

Screw insert - BHN 8 - 1209978

<https://www.phoenixcontact.com/de/produkte/1209978>



Nut, hexagonal, 8 mm

# Torque screwdriver - TSD-M 6NM

1212226

<https://www.phoenixcontact.com/de/produkte/1212226>

## Screw insert

Screw insert - BHN 10 - 1209981

<https://www.phoenixcontact.com/de/produkte/1209981>



Socket wrench insert, magnetic, hexagonal, 10 mm wrench size, 1/4" drive, suitable for holders according to DIN 3126-F 6,3/ISO 1173

---

## Screw insert

Screw insert - BHN 13 - 1209994

<https://www.phoenixcontact.com/de/produkte/1209994>



Nut, hexagonal, 13 mm

# Torque screwdriver - TSD-M 6NM

1212226

<https://www.phoenixcontact.com/de/produkte/1212226>



## Adapter insert

Adapter insert - BF 6,3 - 1209936

<https://www.phoenixcontact.com/de/produkte/1209936>



Adapter for 1/4" bit holder

---

## Adapter insert

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

<https://www.phoenixcontact.com/de/produkte/1212600>



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

---

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstraße 8  
D-32825 Blomberg  
+49 52 35/3-1 20 00  
[info@phoenixcontact.de](mailto:info@phoenixcontact.de)