


Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable duct for installation and mounting in control cabinets, blue, comprising upper part and mounting base, width: 25 mm, height: 80 mm, length: 2000 mm

Your advantages

- Predetermined breaking point enables tool-free, burr-free removal of bars
- Thanks to its leverage and special cutting geometry, the PPS CD cable duct cutter enables easy, burr-free cutting with minimum effort
- Easy, burr-free cutting with minimum effort using the CUTFOX-CD cable duct cutter
- The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place
- Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- Plastic body-bound rivets enable easy fixing of cable ducts using the rivet setting tool

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Commercial Data

| | |
|--------------------------------------|---------------------|
| Item number | 3240304 |
| Packing unit | 10 pc |
| Minimum order quantity | 1 pc |
| Product Key | BE7432 |
| Catalog Page | Page 581 (C-3-2019) |
| GTIN | 4046356507844 |
| Weight per Piece (including packing) | 800 g |
| Weight per Piece (excluding packing) | 800 g |
| Customs tariff number | 39259020 |
| Country of origin | DE |

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>




Technical Data

Connection data

| | |
|-----------------------|----------------------|
| Nominal cross section | 1202 mm ² |
|-----------------------|----------------------|

Dimensions

| | |
|---------------------|--|
| Dimensional drawing |  |
| Width | 25 mm |
| Height | 80 mm |
| Length | 2000 mm |

Material specifications

| | |
|--|-----------|
| Color | blue |
| Material | PVC |
| Flammability rating according to UL 94 | V0 |
| Components | Lead-free |

Connector

| | |
|----------|-----|
| Material | PVC |
| Material | PVC |

Cable / line

Ambient conditions

| | |
|--------------|----|
| Halogen-free | no |
|--------------|----|

Environmental and real-life conditions

Ambient conditions

| | |
|---------------------------------|-----------------|
| Ambient temperature (operation) | -5 °C ... 60 °C |
|---------------------------------|-----------------|

Cable duct - CD 25X80 BU


3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Drawings

Dimensional drawing



Base perforation according to DIN EN 50085

Cable duct - CD 25X80 BU



3240304

<https://www.phoenixcontact.com/pc/products/3240304>

Approvals



CSA

Approval ID: 248269



UL Recognized

Approval ID: FILE E 328576



VDE Zeichengenehmigung

Approval ID: 40027969



EAC

Approval ID: RU C-DE.PB68.W.00478

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Classifications

ECLASS

| | |
|---------------|----------|
| ECLASS-9.0 | 27400703 |
| ECLASS-10.0.1 | 27400703 |
| ECLASS-11.0 | 27400703 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC000012 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39131700 |
|-------------|----------|

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>




Accessories

Cover profile

Cover profile - CD COVER 25 BU - 3240330

<https://www.phoenixcontact.com/pc/products/3240330>



Cover for cable duct, blue, width: 25 mm, length: 2000 mm

Fastening clip

Fastening clip - RVT-PA 4 - 3240498

<https://www.phoenixcontact.com/pc/products/3240498>



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5 ... 6 mm

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Fastening clip

Fastening clip - RVT-PA 6 - 3240499

<https://www.phoenixcontact.com/pc/products/3240499>



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5 ... 6 mm

Tool

Tool - UNIFOX-RVT P 4 - 1212478

<https://www.phoenixcontact.com/pc/products/1212478>



Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets

Cable duct - CD 25X80 BU

3240304

<https://www.phoenixcontact.com/pc/products/3240304>



Tool

Tool - UNIFOX-RVT P 6 - 1212509

<https://www.phoenixcontact.com/pc/products/1212509>

Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets



Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com