

# Continuous plug-in bridge - FBST 500-PLC RD




2966786

<https://www.phoenixcontact.com/de/produkte/2966786>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---



Continuous plug-in bridge, color: red

# Continuous plug-in bridge - FBST 500-PLC RD



2966786

<https://www.phoenixcontact.com/de/produkte/2966786>

## Commercial Data

Item number	2966786
Packing unit	20 pc
Minimum order quantity	1 pc
Sales Key	G1 - Relais
Product Key	CK6243
Catalog Page	Page 426 (C-5-2019)
GTIN	4017918130602
Weight per Piece (including packing)	45,04 g
Weight per Piece (excluding packing)	42,62 g
Customs tariff number	85366990
Country of origin	DE

# Continuous plug-in bridge - FBST 500-PLC RD



2966786

<https://www.phoenixcontact.com/de/produkte/2966786>

## Technical Data

### Product properties

Product type	Bridge
--------------	--------

### Electrical properties

Maximum load current	32 A
----------------------	------

### Connection data

Maximum load current	32 A
----------------------	------

### Dimensions

Length	500 mm
--------	--------

### Material specifications

Color	red
-------	-----

# Continuous plug-in bridge - FBST 500-PLC RD



2966786

<https://www.phoenixcontact.com/de/produkte/2966786>

## Approvals



**PR**

Approval ID: TE/2109/880590/16



**GL**

Approval ID: 46016-03 HH

	Nominal Voltage $U_N$	Nominal Current $I_N$	Cross Section AWG	Cross Section $\text{mm}^2$
			-	-

# Continuous plug-in bridge - FBST 500-PLC RD



2966786

<https://www.phoenixcontact.com/de/produkte/2966786>

## Classifications

### ECLASS

ECLASS-10.0.1	27141140
ECLASS-9.0	27141140
ECLASS-11.0	27141140

### ETIM

ETIM 8.0	EC000489
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Continuous plug-in bridge - FBST 500-PLC RD



2966786

<https://www.phoenixcontact.com/de/produkte/2966786>

## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 52 35/3-1 20 00  
[info@phoenixcontact.de](mailto:info@phoenixcontact.de)