

# Warning label - WS PT 2,5

1029026

<https://www.phoenixcontact.com/pc/products/1029026>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---



Warning label, yellow/black, labeled: Lightning flash, mounting type: plug in, for terminal block width: 5.2 mm

---

## Your advantages

- Mains terminal blocks are reliably covered and marked using warning labels

# Warning label - WS PT 2,5

1029026

<https://www.phoenixcontact.com/pc/products/1029026>



## Commercial Data

Item number	1029026
Packing unit	10 pc
Minimum order quantity	10 pc
Product Key	BE224Z
Catalog Page	Page 420 (C-1-2019)
GTIN	4055626530154
Weight per Piece (including packing)	1.1 g
Weight per Piece (excluding packing)	0.57 g
Customs tariff number	49119900
Country of origin	IN

# Warning label - WS PT 2,5



1029026

<https://www.phoenixcontact.com/pc/products/1029026>

## Technical Data

### Product properties

Type	Rectangle
Product type	Warning label printed
Number of positions	5
Pitch	5.2 mm

### Marking

Printing	Lightning flash
----------	-----------------

### Dimensions

Width	4.5 mm
Height	6.3 mm
Pitch	5.2 mm

### Material specifications

Color	yellow/black
Material	PA
Flammability rating according to UL 94	V0
Components	free from silicone and halogen

### Connector

Number of positions	5
Material	PA
Number of positions	5
Material	PA

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

### Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

### Mounting

Mounting type	plug in
---------------	---------

# Warning label - WS PT 2,5

1029026

<https://www.phoenixcontact.com/pc/products/1029026>



## Classifications

### ECLASS

ECLASS-9.0	40200103
ECLASS-10.0.1	40200103
ECLASS-11.0	40200103

### ETIM

ETIM 8.0	EC001777
----------	----------

### UNSPSC

UNSPSC 21.0	55121700
-------------	----------

# Warning label - WS PT 2,5

1029026

<https://www.phoenixcontact.com/pc/products/1029026>



## Environmental Product Compliance

China RoHS

Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 (0) 5235-3 00  
[info@phoenixcontact.com](mailto:info@phoenixcontact.com)