

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 23 x 4 mm

Your advantages

- The corresponding UC-WMT ..., US-WMT ..., and EMT ... insert labels are used for marking
- These conductor marking systems consist of marker carriers and insert labels
- The PATG ... collar is a captive marker carrier
- Can be used to mark conductors with a diameter of 0.6 mm ... 50 mm

Conductor marker carrier - PATG 2/23



1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Commercial Data

| | |
|--------------------------------------|---------------------|
| Item number | 1013850 |
| Packing unit | 500 pc |
| Minimum order quantity | 500 pc |
| Product Key | BG221A |
| Catalog Page | Page 248 (C-3-2019) |
| GTIN | 4017918014049 |
| Weight per Piece (including packing) | 0.365 g |
| Weight per Piece (excluding packing) | 0.33 g |
| Customs tariff number | 39269097 |
| Country of origin | DE |

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Technical Data

Product properties

| | |
|--------------|----------------------|
| Product type | Marker carrier cable |
| Type | Profile |

Dimensions

| | |
|--------|-------|
| Width | 5 mm |
| Length | 23 mm |

External dimensions

| | |
|------------------------|---------------|
| Outside diameter | 2 mm ... 4 mm |
| External diameter min. | 2 mm |
| External diameter max. | 4 mm |

Material specifications

| | |
|--|---------------|
| Color | transparent |
| RoHS compliant | Yes |
| Material | PVC |
| Flammability rating according to UL 94 | V0 |
| Components | Silicone-free |
| Silicone-free | Yes |

Cable / line

Cable structure

| | |
|-------------------------|---------------|
| External cable diameter | 2 mm ... 4 mm |
|-------------------------|---------------|

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

| | |
|--------|----------------------|
| | VW PV 3.10.7:2005-02 |
| Result | Test passed |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -50 °C ... 80 °C |
|---------------------------------|------------------|

Mounting

| | |
|---------------|----------|
| Mounting type | slide-on |
|---------------|----------|

Conductor marker carrier - PATG 2/23



1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Classifications

ECLASS

| | |
|---------------|----------|
| ECLASS-10.0.1 | 27400401 |
| ECLASS-9.0 | 27400401 |
| ECLASS-11.0 | 27281105 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC001530 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Accessories

Insert label

Insert label - EMT (23X4)R - 0817361

<https://www.phoenixcontact.com/pc/products/0817361>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 5000

Insert label

Insert label - EMT (23X4)R YE - 0817374

<https://www.phoenixcontact.com/pc/products/0817374>



Insert label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 5000

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Insert label

Insert label - MM-EMT (EX4)R C1 WH/BK - 1169312

<https://www.phoenixcontact.com/pc/products/1169312>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 3 mm

Cable marker

Cable marker - UC-WMT (23X4) SR - 0802719

<https://www.phoenixcontact.com/pc/products/0802719>



Cable marker, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - UC-WMT (23X4) - 0819411

<https://www.phoenixcontact.com/pc/products/0819411>




Cable marker, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Cable marker

Cable marker - UC-WMT (23X4) YE - 0819424

<https://www.phoenixcontact.com/pc/products/0819424>



Cable marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - UC-WMT (23X4) BU - 0821111

<https://www.phoenixcontact.com/pc/products/0821111>



Cable marker, Sheet, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Cable marker

Cable marker - UC-WMT (23X4) RD - 0821124

<https://www.phoenixcontact.com/pc/products/0821124>



Cable marker, Sheet, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - UC-WMT (23X4) OG - 0824118

<https://www.phoenixcontact.com/pc/products/0824118>



Cable marker, Sheet, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Cable marker

Cable marker - UC-WMT (23X4) GN - 0824121

<https://www.phoenixcontact.com/pc/products/0824121>



Cable marker, Sheet, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - UC-WMT (23X4) VT - 0825363

<https://www.phoenixcontact.com/pc/products/0825363>



Cable marker, Sheet, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

Cable marker

Cable marker - US-WMT (23X4) - 0828769

<https://www.phoenixcontact.com/pc/products/0828769>



Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - US-WMT (23X4) YE - 0828956

<https://www.phoenixcontact.com/pc/products/0828956>



Cable marker, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Cable marker

Cable marker - US-WMT (23X4) RD - 0829301

<https://www.phoenixcontact.com/pc/products/0829301>



Cable marker, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Conductor marker carrier - PATG 2/23


1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - US-WMT (23X4) OG - 0829302

<https://www.phoenixcontact.com/pc/products/0829302>



Cable marker, Card, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Cable marker

Cable marker - US-WMT (23X4) VT - 0829304

<https://www.phoenixcontact.com/pc/products/0829304>



Cable marker, Card, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Conductor marker carrier - PATG 2/23


1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - US-WMT (23X4) BU - 0829305

<https://www.phoenixcontact.com/pc/products/0829305>



Cable marker, Card, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Cable marker

Cable marker - US-WMT (23X4) GN - 0829306

<https://www.phoenixcontact.com/pc/products/0829306>



Cable marker, Card, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Cable marker

Cable marker - WMTW (23X4)R - 0831004

<https://www.phoenixcontact.com/pc/products/0831004>



Cable marker, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 3000

Cable marker

Cable marker - WMTW (23X4)R YE - 0831005

<https://www.phoenixcontact.com/pc/products/0831005>



Cable marker, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 3000

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Conductor marker

Conductor marker - UCT-WMT (23X4) - 0801453

<https://www.phoenixcontact.com/pc/products/0801453>




Conductor marker, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Conductor marker

Conductor marker - UCT-WMT (23X4) YE - 0801454

<https://www.phoenixcontact.com/pc/products/0801454>



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Conductor marker

Conductor marker - UCT-WMT (23X4) RD - 0801455

<https://www.phoenixcontact.com/pc/products/0801455>



Conductor marker, Sheet, red, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Conductor marker

Conductor marker - UCT-WMT (23X4) OG - 0801456

<https://www.phoenixcontact.com/pc/products/0801456>



Conductor marker, Sheet, orange, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Conductor marker carrier - PATG 2/23

1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Conductor marker

Conductor marker - UCT-WMT (23X4) GN - 0801457

<https://www.phoenixcontact.com/pc/products/0801457>



Conductor marker, Sheet, green, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Conductor marker

Conductor marker - UCT-WMT (23X4) VT - 0801459

<https://www.phoenixcontact.com/pc/products/0801459>



Conductor marker, Sheet, violet, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Conductor marker carrier - PATG 2/23


1013850

<https://www.phoenixcontact.com/pc/products/1013850>

Conductor marker

Conductor marker - UCT-WMT (23X4) BU - 0801460

<https://www.phoenixcontact.com/pc/products/0801460>



Conductor marker, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com