

# End cover - D-QTC 2,5

3206568

<https://www.phoenixcontact.com/de/produkte/3206568>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

End cover, length: 62.6 mm, width: 2.2 mm, height: 39.3 mm, color: gray



# End cover - D-QTC 2,5

3206568

<https://www.phoenixcontact.com/de/produkte/3206568>



## Commercial Data

Item number	3206568
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	A1 - Reihenklennen
Product Key	BE3Z1X
Catalog Page	Page 263 (C-1-2019)
GTIN	4017918976064
Weight per Piece (including packing)	2,58 g
Weight per Piece (excluding packing)	2,514 g
Customs tariff number	85389099
Country of origin	DE

# End cover - D-QTC 2,5



3206568

<https://www.phoenixcontact.com/de/produkte/3206568>

## Technical Data

### Product properties

Product type	End cover
--------------	-----------

### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C ( )
Permissible humidity (storage/transport)	30 % ... 70 %

### Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0

### Dimensions

Width	2.2 mm
Height	39.3 mm
Length	62.6 mm

# End cover - D-QTC 2,5

3206568

<https://www.phoenixcontact.com/de/produkte/3206568>



## Classifications

### ECLASS

ECLASS-10.0.1	27141133
ECLASS-9.0	27141133
ECLASS-11.0	27141133

### ETIM

ETIM 8.0	EC000886
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# End cover - D-QTC 2,5

3206568

<https://www.phoenixcontact.com/de/produkte/3206568>



## Environmental Product Compliance

China RoHS

Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH

Flachmarktstraße 8

D-32825 Blomberg

+49 52 35/3-1 20 00

[info@phoenixcontact.de](mailto:info@phoenixcontact.de)