

Spacer plate - DG-UKKB 3/ 5

2770859

<https://www.phoenixcontact.com/de/produkte/2770859>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Spacer plate, to compensate for level offsets, length: 67 mm, width: 2.5 mm, color: gray

Spacer plate - DG-UKKB 3/ 5

2770859

<https://www.phoenixcontact.com/de/produkte/2770859>



Commercial Data

Item number	2770859
Packing unit	50 pc
Minimum order quantity	1 pc
Sales Key	A1 - Reihenklennen
Product Key	BE1Z1X
Catalog Page	Page 577 (C-3-2013)
GTIN	4017918068080
Weight per Piece (including packing)	4,963 g
Weight per Piece (excluding packing)	4,38 g
Customs tariff number	39269097
Country of origin	DE

Spacer plate - DG-UKKB 3/ 5

2770859

<https://www.phoenixcontact.com/de/produkte/2770859>



Technical Data

Product properties

Product type	End cover
--------------	-----------

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Material specifications

Color	gray
Flammability rating according to UL 94	V0

Dimensions

Width	2.5 mm
Height NS 35/15	92.5 mm
Height NS 35/7,5	85 mm
Length	67 mm

Spacer plate - DG-UKKB 3/ 5



2770859

<https://www.phoenixcontact.com/de/produkte/2770859>

Classifications

ECLASS

ECLASS-9.0	27141133
ECLASS-10.0.1	27141133
ECLASS-11.0	27141133

ETIM

ETIM 8.0	EC000886
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Spacer plate - DG-UKKB 3/ 5

2770859

<https://www.phoenixcontact.com/de/produkte/2770859>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de