

# Insertion bridge - EB 10- DIK BU

2716680


<https://www.phoenixcontact.com/de/produkte/2716680>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Insertion bridge, pitch: 6.15 mm, color: blue



# Insertion bridge - EB 10- DIK BU

2716680

<https://www.phoenixcontact.com/de/produkte/2716680>



## Commercial Data

Item number	2716680
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	A1 - Reihenklemmen
Product Key	BE1Z2X
Catalog Page	Page 480 (C-1-2019)
GTIN	4017918061968
Weight per Piece (including packing)	4,377 g
Weight per Piece (excluding packing)	4,3 g
Customs tariff number	85366990
Country of origin	PL

# Insertion bridge - EB 10- DIK BU



2716680

<https://www.phoenixcontact.com/de/produkte/2716680>

## Technical Data

### Product properties

Product type	Insertion bridge
Number of positions	10
Pitch	6.15 mm
Potentials	10

### Dimensions

Pitch	6.15 mm
-------	---------

### Material specifications

Color	blue
Material	Copper
Insulating material	PA

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

### Mounting

Mounting type	Screw mounting
---------------	----------------

# Insertion bridge - EB 10- DIK BU



2716680

<https://www.phoenixcontact.com/de/produkte/2716680>

## Classifications

### ECLASS

ECLASS-9.0	27141140
ECLASS-10.0.1	27141140
ECLASS-11.0	27141140

### ETIM

ETIM 8.0	EC000489
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Insertion bridge - EB 10- DIK BU

2716680

<https://www.phoenixcontact.com/de/produkte/2716680>



## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 52 35/3-1 20 00  
[info@phoenixcontact.de](mailto:info@phoenixcontact.de)