

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Cable marker carrier, transparent, unlabeled, horizontal, mounting type: Assembly with cable ties, cable diameter: > 10 mm, lettering field size: 23 x 4 mm



---

## Your advantages

- Marking collars for marking and bundling conductors
- Can be labeled using UC-WMT ... or US-WMT ... plastic labels or the EMT ... insert strips

# Cable marker carrier - PAB-KTL 23



1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Commercial Data

Item number	1013957
Packing unit	200 pc
Minimum order quantity	200 pc
Product Key	BG231A
Catalog Page	Page 249 (C-3-2019)
GTIN	4017918014131
Weight per Piece (including packing)	0.506 g
Weight per Piece (excluding packing)	0.5 g
Customs tariff number	39269097
Country of origin	IT

# Cable marker carrier - PAB-KTL 23



1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Technical Data

### Product properties

Product type	Marker carrier cable
Type	Profile

### Marking

Printing direction	horizontal
--------------------	------------

### Dimensions

Width	23 mm
Length	4 mm

### External dimensions

Outside diameter	6 mm ... 136 mm
------------------	-----------------

### Material specifications

Color	transparent
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

### Cable / line

#### Cable structure

External cable diameter	> 10 mm
-------------------------	---------

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-50 °C ... 80 °C
---------------------------------	------------------

### Mounting

Mounting type	Assembly with cable ties
---------------	--------------------------

# Cable marker carrier - PAB-KTL 23



1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Classifications

### ECLASS

ECLASS-9.0	27400401
ECLASS-10.0.1	27400401
ECLASS-11.0	27281105

### ETIM

ETIM 8.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Accessories

### Insert label

Insert label - EMT (23X4)R - 0817361

<https://www.phoenixcontact.com/pc/products/0817361>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 5000

---

### Insert label

Insert label - EMT (23X4)R YE - 0817374

<https://www.phoenixcontact.com/pc/products/0817374>



Insert label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 5000

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Insert label

Insert label - MM-EMT (EX4)R C1 WH/BK - 1169312

<https://www.phoenixcontact.com/pc/products/1169312>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 3 mm

---

## Cable marker

Cable marker - UC-WMT (23X4) SR - 0802719

<https://www.phoenixcontact.com/pc/products/0802719>



Cable marker, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - UC-WMT (23X4) - 0819411

<https://www.phoenixcontact.com/pc/products/0819411>




Cable marker, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## Cable marker

Cable marker - UC-WMT (23X4) YE - 0819424

<https://www.phoenixcontact.com/pc/products/0819424>



Cable marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - UC-WMT (23X4) BU - 0821111

<https://www.phoenixcontact.com/pc/products/0821111>



Cable marker, Sheet, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## Cable marker

Cable marker - UC-WMT (23X4) RD - 0821124

<https://www.phoenixcontact.com/pc/products/0821124>



Cable marker, Sheet, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24



# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - UC-WMT (23X4) OG - 0824118

<https://www.phoenixcontact.com/pc/products/0824118>



Cable marker, Sheet, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## Cable marker

Cable marker - UC-WMT (23X4) GN - 0824121

<https://www.phoenixcontact.com/pc/products/0824121>



Cable marker, Sheet, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - UC-WMT (23X4) VT - 0825363

<https://www.phoenixcontact.com/pc/products/0825363>



Cable marker, Sheet, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 24

---

## Cable marker

Cable marker - US-WMT (23X4) - 0828769

<https://www.phoenixcontact.com/pc/products/0828769>



Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - US-WMT (23X4) YE - 0828956

<https://www.phoenixcontact.com/pc/products/0828956>



Cable marker, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

---

## Cable marker

Cable marker - US-WMT (23X4) RD - 0829301

<https://www.phoenixcontact.com/pc/products/0829301>



Cable marker, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - US-WMT (23X4) OG - 0829302

<https://www.phoenixcontact.com/pc/products/0829302>



Cable marker, Card, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

---

## Cable marker

Cable marker - US-WMT (23X4) VT - 0829304

<https://www.phoenixcontact.com/pc/products/0829304>



Cable marker, Card, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# Cable marker carrier - PAB-KTL 23


1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - US-WMT (23X4) BU - 0829305

<https://www.phoenixcontact.com/pc/products/0829305>



Cable marker, Card, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

---

## Cable marker

Cable marker - US-WMT (23X4) GN - 0829306

<https://www.phoenixcontact.com/pc/products/0829306>



Cable marker, Card, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 56

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Cable marker

Cable marker - WMTW (23X4)R - 0831004

<https://www.phoenixcontact.com/pc/products/0831004>



Cable marker, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 3000

---

## Cable marker

Cable marker - WMTW (23X4)R YE - 0831005

<https://www.phoenixcontact.com/pc/products/0831005>



Cable marker, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 3000

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Conductor marker

Conductor marker - UCT-WMT (23X4) - 0801453

<https://www.phoenixcontact.com/pc/products/0801453>




Conductor marker, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

## Conductor marker

Conductor marker - UCT-WMT (23X4) YE - 0801454

<https://www.phoenixcontact.com/pc/products/0801454>



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Conductor marker

Conductor marker - UCT-WMT (23X4) RD - 0801455

<https://www.phoenixcontact.com/pc/products/0801455>



Conductor marker, Sheet, red, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

## Conductor marker

Conductor marker - UCT-WMT (23X4) OG - 0801456

<https://www.phoenixcontact.com/pc/products/0801456>



Conductor marker, Sheet, orange, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30



# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Conductor marker

Conductor marker - UCT-WMT (23X4) GN - 0801457

<https://www.phoenixcontact.com/pc/products/0801457>



Conductor marker, Sheet, green, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

## Conductor marker

Conductor marker - UCT-WMT (23X4) VT - 0801459

<https://www.phoenixcontact.com/pc/products/0801459>



Conductor marker, Sheet, violet, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

# Cable marker carrier - PAB-KTL 23

1013957

<https://www.phoenixcontact.com/pc/products/1013957>

## Conductor marker

Conductor marker - UCT-WMT (23X4) BU - 0801460

<https://www.phoenixcontact.com/pc/products/0801460>



Conductor marker, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 35 mm, lettering field size: 23 x 4 mm, Number of individual labels: 30

---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)