

# Covering hood - HC-RBO 10

3247970

<https://www.phoenixcontact.com/de/produkte/3247970>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Covering hood, length: 115.2 mm, width: 40.8 mm, height: 67.7 mm, color: gray



# Covering hood - HC-RBO 10

3247970

<https://www.phoenixcontact.com/de/produkte/3247970>



## Commercial Data

Item number	3247970
Packing unit	6 pc
Minimum order quantity	6 pc
Sales Key	A1 - Reihenklennen
Product Key	BE1Z1X
Catalog Page	Page 391 (C-1-2019)
GTIN	4046356586382
Weight per Piece (including packing)	31,9 g
Weight per Piece (excluding packing)	30,85 g
Customs tariff number	85389099
Country of origin	CN

# Covering hood - HC-RBO 10

3247970

<https://www.phoenixcontact.com/de/produkte/3247970>



## Technical Data

### Product properties

Product type	Cover profile
--------------	---------------

### Dimensions

Width	40.8 mm
Height	67.7 mm
Length	115.2 mm

### Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

# Covering hood - HC-RBO 10

3247970

<https://www.phoenixcontact.com/de/produkte/3247970>



## Classifications

### ECLASS

ECLASS-9.0	27141190
ECLASS-10.0.1	27141190
ECLASS-11.0	27141190

### ETIM

ETIM 8.0	EC002848
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Covering hood - HC-RBO 10

3247970

<https://www.phoenixcontact.com/de/produkte/3247970>



## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 52 35/3-1 20 00  
[info@phoenixcontact.de](mailto:info@phoenixcontact.de)