

Cable marker label - US-WML 6 (13X13)



0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Cable marker label, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: adhesive, cable diameter: ≤ 6 mm, lettering field size: 13 x 13 mm, Number of individual labels: 32



Your advantages

- The cable marker labels do not increase the cross section of the cable, allowing the cable to be subsequently drawn through cable ducts, for example
- Quick and easy handling
- Resistant to solvents
- The protective foil is wound over the labeling and provides permanent protection against dirt and abrasion
- US-WML ... cable marker labels consist of a labeling field and a transparent protective foil

Cable marker label - US-WML 6 (13X13)



0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Commercial Data

Item number	0800472
Packing unit	10 pc
Minimum order quantity	10 pc
Product Key	BG2319
Catalog Page	Page 215 (C-3-2019)
GTIN	4046356607049
Weight per Piece (including packing)	6.5 g
Weight per Piece (excluding packing)	6.051 g
Customs tariff number	39199080
Country of origin	DE

Cable marker label - US-WML 6 (13X13)



0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Technical Data

Product properties

Product type	Conductor marking
Type	Label

Marking

Number of individual labels	32
Number of individual labels per row	8

Dimensions

Width	32.1 mm
Length	13 mm

External dimensions

Outside diameter	3 mm ... 6 mm
------------------	---------------

Material specifications

Color	white
Foil strength	0.06 mm
Adhesive	Acrylic
Material	PVC
Base element material	Vinyl film
Components	Silicone-free
Silicone-free	Yes
Halogen-free	Yes

Cable / line

Cable structure

External cable diameter	≤ 6 mm
-------------------------	--------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

	VDMA 24364-A1-L:2018-05
Result	Test passed

Tesafilm test

Result	Test passed
--------	-------------

UV resistance

Specification	Following ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h

Temperature resistance

Cable marker label - US-WML 6 (13X13)



0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Specification	Following ANSI/UL 969-2018:03
Test duration	240 h
Rating 100 °C (121 °C)	Test passed
Test duration	168 h

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed
Test duration	96 h

Ambient conditions

Ambient temperature (operation)	-50 °C ... 80 °C
---------------------------------	------------------

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	adhesive
---------------	----------

Cable marker label - US-WML 6 (13X13)



0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Approvals



UL Recognized

Approval ID: FILE MH 48542

Cable marker label - US-WML 6 (13X13)



0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Classifications

ECLASS

ECLASS-9.0	27400401
ECLASS-10.0.1	27400401
ECLASS-11.0	27281102

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Cable marker label - US-WML 6 (13X13)

0800472

<https://www.phoenixcontact.com/pc/products/0800472>



Accessories

Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 BK 100 - 0803374

<https://www.phoenixcontact.com/pc/products/0803374>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT...
..., US..., and UM..., width: 110 mm, color: black



Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110/50-TC - 0801384

<https://www.phoenixcontact.com/pc/products/0801384>

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US...,
and UM..., width: 110 mm, color: black



Cable marker label - US-WML 6 (13X13)

0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371

<https://www.phoenixcontact.com/pc/products/0801371>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

Ink cartridge

Ink cartridge - BM ID-CARTR. BK - 1044345

<https://www.phoenixcontact.com/pc/products/1044345>



Replacement UV fluid, 23 ml, color: black

Cable marker label - US-WML 6 (13X13)

0800472

<https://www.phoenixcontact.com/pc/products/0800472>

Ink cartridge

Ink cartridge - BM ID-CARTR. CY - 1044346

<https://www.phoenixcontact.com/pc/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

Ink cartridge

Ink cartridge - BM ID-CARTR. MA - 1044347

<https://www.phoenixcontact.com/pc/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

Cable marker label - US-WML 6 (13X13)

0800472

<https://www.phoenixcontact.com/pc/products/0800472>



Ink cartridge

Ink cartridge - BM ID-CARTR. YE - 1044348

<https://www.phoenixcontact.com/pc/products/1044348>



Replacement UV fluid, 23 ml, color: yellow

Magazine

Magazine - TMP-US-MAG1 - 0803341

<https://www.phoenixcontact.com/pc/products/0803341>



Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards

Cable marker label - US-WML 6 (13X13)

0800472

<https://www.phoenixcontact.com/pc/products/0800472>



Magazine

Magazine - BM ID-ADAPTER PLATE-US - 1044355

<https://www.phoenixcontact.com/pc/products/1044355>

Adapter plate for accommodating US sheets



Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com