

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Cable marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16



Your advantages

- The UC-WMT ... UniCard labeling range includes markers for conductor marking with marking collars from the PATG/PATO ... system
- Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

Cable marker - UC-WMT (30X4) YE



0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Commercial Data

Item number	0819440
Packing unit	10 pc
Minimum order quantity	10 pc
Product Key	BG2217
Catalog Page	Page 203 (C-3-2019)
GTIN	4046356152419
Weight per Piece (including packing)	7.93 g
Weight per Piece (excluding packing)	6.8 g
Customs tariff number	39269097
Country of origin	PL

Cable marker - UC-WMT (30X4) YE



0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Technical Data

Product properties

Product type	Conductor marking
Type	Card form

Marking

Number of individual labels	16
Number of individual labels per row	8

Marking technology

Device	5147999 BLUEMARK CLED
Printability	UV LED technology

Dimensions

Width	30 mm
Length	4 mm

Material specifications

Color	yellow
RoHS compliant	Yes
Material	PA
Flammability rating according to UL 94	V2
Base element material	PA
Temperature index of insulation material (DIN EN 60216-1 (VDE 0304-21))	120 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 2
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 2
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 2
Components	free from silicone and halogen
Silicone-free	Yes
Halogen-free	Yes

Cable / line

Cable structure

External cable diameter	1.5 mm ... 14 mm
-------------------------	------------------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

	VW PV 3.10.7:2005-02
Result	Test passed

UV resistance

Specification	Following ISO 4892-2:2013-03
---------------	------------------------------

Cable marker - UC-WMT (30X4) YE



0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Result	Test passed
Test duration	96 h

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07 DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
---------------	---

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	insert
---------------	--------

Cable marker - UC-WMT (30X4) YE



0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Classifications

ECLASS

ECLASS-9.0	27400629
ECLASS-11.0	27281106
ECLASS-10.0.1	27400629

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Accessories

Conductor marker carrier

Conductor marker carrier - PATG 1/30 - 0822440

<https://www.phoenixcontact.com/pc/products/0822440>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 1.5 ... 2.5 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG 2/30 - 0822453

<https://www.phoenixcontact.com/pc/products/0822453>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Conductor marker carrier

Conductor marker carrier - PATG 3/30 - 0822466

<https://www.phoenixcontact.com/pc/products/0822466>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG 4/30 - 0822479

<https://www.phoenixcontact.com/pc/products/0822479>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 6 ... 10 mm, lettering field size: 30 x 4 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Conductor marker carrier

Conductor marker carrier - PATG 5/30 - 0822482

<https://www.phoenixcontact.com/pc/products/0822482>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 10 ... 14 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG HF 1/30 - 1014049

<https://www.phoenixcontact.com/pc/products/1014049>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 1.3 ... 2.8 mm, lettering field size: 30 x 4 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Conductor marker carrier

Conductor marker carrier - PATG HF 2/30 - 1014055

<https://www.phoenixcontact.com/pc/products/1014055>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG HF 3/30 - 1014061

<https://www.phoenixcontact.com/pc/products/1014061>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Conductor marker carrier

Conductor marker carrier - PATG HF 4/30 - 1014067

<https://www.phoenixcontact.com/pc/products/1014067>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 5 ... 10 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG HF 3/30 VPE 1000 - 1044263

<https://www.phoenixcontact.com/pc/products/1044263>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Conductor marker carrier

Conductor marker carrier - PATG HF 4/30 VPE 1000 - 1044271

<https://www.phoenixcontact.com/pc/products/1044271>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 5 ... 10 mm

Conductor marker carrier

Conductor marker carrier - PATO 1/30 - 0822495

<https://www.phoenixcontact.com/pc/products/0822495>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2 ... 3.5 mm, lettering field size: 4 x 30 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Conductor marker carrier

Conductor marker carrier - PATO 2/30 - 0822505

<https://www.phoenixcontact.com/pc/products/0822505>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2.8 ... 4.4 mm, lettering field size: 4 x 30 mm

Cable marker carrier

Cable marker carrier - PAB-KTL - 1013261

<https://www.phoenixcontact.com/pc/products/1013261>



Cable marker carrier, transparent, unlabeled, horizontal, mounting type: Assembly with cable ties, cable diameter: > 10 mm, lettering field size: 30 x 4 mm

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>

Ink cartridge

Ink cartridge - BLUEMARK CLED-FLUID-CARTR. - 5146662

<https://www.phoenixcontact.com/pc/products/5146662>

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge



Ink cartridge

Ink cartridge - BLUEMARK FLUID-CARTRIDGE - 5147421

<https://www.phoenixcontact.com/pc/products/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Ink cartridge

Ink cartridge - BM ID-CARTR. BK - 1044345

<https://www.phoenixcontact.com/pc/products/1044345>



Replacement UV fluid, 23 ml, color: black

Ink cartridge

Ink cartridge - BM ID-CARTR. CY - 1044346

<https://www.phoenixcontact.com/pc/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Ink cartridge

Ink cartridge - BM ID-CARTR. MA - 1044347

<https://www.phoenixcontact.com/pc/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

Ink cartridge

Ink cartridge - BM ID-CARTR. YE - 1044348

<https://www.phoenixcontact.com/pc/products/1044348>



Replacement UV fluid, 23 ml, color: yellow

Cable marker - UC-WMT (30X4) YE

0819440

<https://www.phoenixcontact.com/pc/products/0819440>



Magazine

Magazine - P1 UC-MAG 4 - 5146105

<https://www.phoenixcontact.com/pc/products/5146105>



Magazine, for CMS-P1-PLOTTER and PLOTMARK, for accommodating UC-TMF..., UC1-TMF..., UC-WMT...

Marker carriers

Marker carriers - PAB-SK 30 - 1013290

<https://www.phoenixcontact.com/pc/products/1013290>



Marker carriers, transparent, unlabeled, mounting type: adhesive, lettering field size: 30 x 4 mm

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com