

Conductor marker - UCT-WMT (30X4) YE



0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker - UCT-WMT (30X4) YE



0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Commercial Data

Item number	0801423
Packing unit	10 pc
Minimum order quantity	10 pc
Product Key	BG2218
Catalog Page	Page 207 (C-3-2019)
GTIN	4046356676991
Weight per Piece (including packing)	11.26 g
Weight per Piece (excluding packing)	11.26 g
Customs tariff number	39269097
Country of origin	PL

Conductor marker - UCT-WMT (30X4) YE



0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Technical Data

Product properties

Product type	Conductor marking
--------------	-------------------

Marking

Number of individual labels	30
Number of individual labels per row	10

Marking technology

Device	5146464 THERMOMARK CARD
	5147888 BLUEMARK LED
	5147999 BLUEMARK CLED
Ink ribbon	0801734 THERMOMARK CARD-UCT-MAG7
	0801371 THERMOMARK-RIBBON 110-TC
	5147421 BLUEMARK FLUID-CARTRIDGE
	5146662 BLUEMARK CLED-FLUID-CARTR.
Printability	Thermal transfer
	Inkjet printing

Dimensions

Width	30 mm
Length	4 mm

Material specifications

Color	yellow
RoHS compliant	Yes
Material	PC V0
Flammability rating according to UL 94	V0
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone and halogen
Silicone-free	Yes

Cable / line

Cable structure

External cable diameter	1.5 mm ... 14 mm
-------------------------	------------------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

	VW PV 3.10.7:2005-02
Result	Test passed

Conductor marker - UCT-WMT (30X4) YE



0801423

<https://www.phoenixcontact.com/pc/products/0801423>

UV resistance

Specification	Following ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	insert
---------------	--------

Conductor marker - UCT-WMT (30X4) YE



0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Classifications

ECLASS

ECLASS-9.0	27400629
ECLASS-10.0.1	27400629
ECLASS-11.0	27281106

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Accessories

Conductor marker carrier

Conductor marker carrier - PATG 1/30 - 0822440

<https://www.phoenixcontact.com/pc/products/0822440>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 1.5 ... 2.5 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG 2/30 - 0822453

<https://www.phoenixcontact.com/pc/products/0822453>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Conductor marker carrier

Conductor marker carrier - PATG 3/30 - 0822466

<https://www.phoenixcontact.com/pc/products/0822466>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG 4/30 - 0822479

<https://www.phoenixcontact.com/pc/products/0822479>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 6 ... 10 mm, lettering field size: 30 x 4 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Conductor marker carrier

Conductor marker carrier - PATG 5/30 - 0822482

<https://www.phoenixcontact.com/pc/products/0822482>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 10 ... 14 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG HF 1/30 - 1014049

<https://www.phoenixcontact.com/pc/products/1014049>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 1.3 ... 2.8 mm, lettering field size: 30 x 4 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Conductor marker carrier

Conductor marker carrier - PATG HF 2/30 - 1014055

<https://www.phoenixcontact.com/pc/products/1014055>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG HF 3/30 - 1014061

<https://www.phoenixcontact.com/pc/products/1014061>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Conductor marker carrier

Conductor marker carrier - PATG HF 4/30 - 1014067

<https://www.phoenixcontact.com/pc/products/1014067>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 5 ... 10 mm, lettering field size: 30 x 4 mm

Conductor marker carrier

Conductor marker carrier - PATG HF 3/30 VPE 1000 - 1044263

<https://www.phoenixcontact.com/pc/products/1044263>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Conductor marker carrier

Conductor marker carrier - PATG HF 4/30 VPE 1000 - 1044271

<https://www.phoenixcontact.com/pc/products/1044271>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 5 ... 10 mm

Conductor marker carrier

Conductor marker carrier - PATO 1/30 - 0822495

<https://www.phoenixcontact.com/pc/products/0822495>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2 ... 3.5 mm, lettering field size: 4 x 30 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Conductor marker carrier

Conductor marker carrier - PATO 2/30 - 0822505

<https://www.phoenixcontact.com/pc/products/0822505>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2.8 ... 4.4 mm, lettering field size: 4 x 30 mm

Cable marker carrier

Cable marker carrier - PAB-KTL - 1013261

<https://www.phoenixcontact.com/pc/products/1013261>



Cable marker carrier, transparent, unlabeled, horizontal, mounting type: Assembly with cable ties, cable diameter: > 10 mm, lettering field size: 30 x 4 mm

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>



Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 BK 100 - 0803374

<https://www.phoenixcontact.com/pc/products/0803374>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT...
..., US..., and UM..., width: 110 mm, color: black



Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371

<https://www.phoenixcontact.com/pc/products/0801371>

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US...,
and UM..., width: 110 mm, color: black



Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110/50-TC - 0801384

<https://www.phoenixcontact.com/pc/products/0801384>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

Ink cartridge

Ink cartridge - BLUEMARK CLED-FLUID-CARTR. - 5146662

<https://www.phoenixcontact.com/pc/products/5146662>



Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Ink cartridge

Ink cartridge - BLUEMARK FLUID-CARTRIDGE - 5147421

<https://www.phoenixcontact.com/pc/products/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



Ink cartridge

Ink cartridge - BM ID-CARTR. BK - 1044345

<https://www.phoenixcontact.com/pc/products/1044345>

Replacement UV fluid, 23 ml, color: black



Conductor marker - UCT-WMT (30X4) YE



0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Ink cartridge

Ink cartridge - BM ID-CARTR. CY - 1044346

<https://www.phoenixcontact.com/pc/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

Ink cartridge

Ink cartridge - BM ID-CARTR. MA - 1044347

<https://www.phoenixcontact.com/pc/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>



Ink cartridge

Ink cartridge - BM ID-CARTR. YE - 1044348

<https://www.phoenixcontact.com/pc/products/1044348>

Replacement UV fluid, 23 ml, color: yellow



Magazine

Magazine - THERMOMARK CARD-UCT-MAG7 - 0801734

<https://www.phoenixcontact.com/pc/products/0801734>

Magazine for the THERMOMARK CARD printer, for accommodating UCT sheets (UCT-WMT...)



Conductor marker - UCT-WMT (30X4) YE



0801423


<https://www.phoenixcontact.com/pc/products/0801423>

Magazine

Magazine - TOPMARK LASER-MAG UCT-A - 0803141

<https://www.phoenixcontact.com/pc/products/0803141>

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



Magazine

Magazine - TOPMARK LASER-MAG UCT-M - 0803143

<https://www.phoenixcontact.com/pc/products/0803143>

Magazine for the TOPMARK LASER, for accommodating UCT material manually



Conductor marker - UCT-WMT (30X4) YE

0801423

<https://www.phoenixcontact.com/pc/products/0801423>

Magazine

Magazine - TMP-UCT-MAG7 - 0803349

<https://www.phoenixcontact.com/pc/products/0803349>

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMT..., UCT-EM (7x10)



Marker carriers

Marker carriers - PAB-SK 30 - 1013290

<https://www.phoenixcontact.com/pc/products/1013290>

Marker carriers, transparent, unlabeled, mounting type: adhesive, lettering field size: 30 x 4 mm



Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com