

# Flat gasket - CES-B10-WRG-BK

0801725

<https://www.phoenixcontact.com/pc/products/0801725>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Flat gasket made of NBR, size B10



# Flat gasket - CES-B10-WRG-BK



0801725

<https://www.phoenixcontact.com/pc/products/0801725>

## Commercial Data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 0801725             |
| Packing unit                         | 10 pc               |
| Minimum order quantity               | 1 pc                |
| Product Key                          | BF7CZX              |
| Catalog Page                         | Page 676 (C-2-2019) |
| GTIN                                 | 4046356675246       |
| Weight per Piece (including packing) | 10.55 g             |
| Weight per Piece (excluding packing) | 9.73 g              |
| Customs tariff number                | 40169300            |
| Country of origin                    | DE                  |

# Flat gasket - CES-B10-WRG-BK

0801725


<https://www.phoenixcontact.com/pc/products/0801725>

## Technical Data

### Product properties

|              |      |
|--------------|------|
| Type         | B10  |
| Product type | Seal |

### Dimensions

|                                 |  |
|---------------------------------|--|
| Dimensional drawing             |  |
| Width                           | 57.5 mm  |
| Height                          | 2.5 mm   |
| Length                          | 99.2 mm  |
| Drill hole distance, horizontal | 83 mm  |
| Drill hole distance, vertical   | 32 mm  |
| Hole diameter                   | 4.5 mm   |

### Material specifications

|          |       |
|----------|-------|
| Color    | black |
| Material | NBR   |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                           |
|---------------------------------|---------------------------|
| Ambient temperature (operation) | -20 °C ... 80 °C (static) |
|---------------------------------|---------------------------|

# Flat gasket - CES-B10-WRG-BK




0801725

<https://www.phoenixcontact.com/pc/products/0801725>

## Drawings

Dimensional drawing



Dimensional drawing

# Flat gasket - CES-B10-WRG-BK



0801725

<https://www.phoenixcontact.com/pc/products/0801725>

## Approvals

**DNV**

Approval ID: TAE00003VJ

# Flat gasket - CES-B10-WRG-BK



0801725

<https://www.phoenixcontact.com/pc/products/0801725>

## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 23071590 |
| ECLASS-10.0.1 | 23071590 |
| ECLASS-11.0   | 23071590 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC002498 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31401600 |
|-------------|----------|

# Flat gasket - CES-B10-WRG-BK



0801725

<https://www.phoenixcontact.com/pc/products/0801725>

## Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e<br>No hazardous substances above threshold values |
|------------|---|

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 (0) 5235-3 00  
[info@phoenixcontact.com](mailto:info@phoenixcontact.com)