

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---



Mobile thermal transfer printer for marking materials in cartridge format. The printer can print materials in continuous format up to a material width of 24 mm.

---

## Product Description

The THERMOMARK GO.K handheld printer is ideal for fast identification on site. The thermal transfer printer is robust, easy to use, and offers versatile functions. It processes continuous media for terminal marking, cable and wire marking, equipment marking, and plant marking.

Scope of supply:

THERMOMARK GO.K, brief instructions

## Your advantages

- Maintenance-free operation with proven thermal transfer printer technology
- 8 different bar codes and over 300 symbols can be integrated; up to 20 projects can be created and stored directly on the device
- Printing of self-adhesive, non-sticky labels and shrink sleeves
- The THERMOMARK GO.K prints materials in cartridge format, which contain the material to be marked and the appropriate ink ribbon
- Intuitive user guidance thanks to a well-structured menu and direct input keys
- Alternative control via the PROJECT complete software

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Commercial Data

Item number	1184146
Packing unit	1 pc
Minimum order quantity	1 pc
Product Key	BG1221
GTIN	4063151223441
Weight per Piece (including packing)	858.09 g
Weight per Piece (excluding packing)	676.46 g
Customs tariff number	84433210
Country of origin	CN

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Technical Data

### Product properties

Product type	Printing system
--------------	-----------------

### Electrical properties

#### Supply

Supply voltage range	100 V AC ... 240 V AC (50 Hz ... 60 Hz)
----------------------	---

### Interfaces

Interface	USB
-----------	-----

### Dimensions

Width	98 mm
Height	69 mm
Length	230 mm

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	5 °C ... 40 °C
---------------------------------	----------------

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Approvals



**cULus Listed**

Approval ID: E140403

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Classifications

### ECLASS

ECLASS-9.0	19140104
ECLASS-11.0	19140104

### ETIM

ETIM 8.0	EC001672
----------	----------

### UNSPSC

UNSPSC 21.0	43212100
-------------	----------

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Accessories

### Fastening clip

Fastening clip - THERMOMARK GO.K BELT CLIP - 0805004

<https://www.phoenixcontact.com/pc/products/0805004>

Clip for fastening the THERMOMARK GO.K / THERMOFOX mobile printer to a belt.



---

### Charging tray

Charging tray - THERMOFOX/CHARGER - 0805012

<https://www.phoenixcontact.com/pc/products/0805012>

Charging cradle for charging the THERMOFOX/ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.



# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-EML (EX10)R C1 WH/BK - 0803970

<https://www.phoenixcontact.com/pc/products/0803970>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Label

Label - MM-EML (EX12)R C1 WH/BK - 0803971

<https://www.phoenixcontact.com/pc/products/0803971>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-EML (EX18)R C1 WH/BK - 0803972

<https://www.phoenixcontact.com/pc/products/0803972>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

---

## Label

Label - MM-EML (EX24)R C1 WH/BK - 0803973

<https://www.phoenixcontact.com/pc/products/0803973>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-EML (EX10)R C1 SR/BK - 0803974

<https://www.phoenixcontact.com/pc/products/0803974>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Label

Label - MM-EML (EX12)R C1 SR/BK - 0803975

<https://www.phoenixcontact.com/pc/products/0803975>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-EML (EX18)R C1 SR/BK - 0803976

<https://www.phoenixcontact.com/pc/products/0803976>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

---

## Label

Label - MM-EML (EX24)R C1 SR/BK - 0803978

<https://www.phoenixcontact.com/pc/products/0803978>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-TML (EX4,2)R C1 TR/BK - 0803979

<https://www.phoenixcontact.com/pc/products/0803979>



Label, Roll, transparent, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 3.2 mm

---

## Label

Label - MM-TML (EX9,5)R C1 TR/BK - 0803981

<https://www.phoenixcontact.com/pc/products/0803981>



Label, Roll, transparent, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 7.5 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-TMT (EX6,35)R C1 WH/BK - 0803982

<https://www.phoenixcontact.com/pc/products/0803982>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, snap into flat marker groove, for terminal block width: 5500 mm, lettering field size: continuous x 4.3 mm

---

## Label

Label - MM-TMT (EX9,5)R C1 WH/BK - 0803983

<https://www.phoenixcontact.com/pc/products/0803983>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, for terminal block width: 5500 mm, lettering field size: continuous x 7.5 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label

Label - MM-TML (EX3,8)R C1 WH/BK - 1092026

<https://www.phoenixcontact.com/pc/products/1092026>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 2.8 mm

---

## Fabric label

Fabric label - MM-EMLC (EX10)R C1 WH/BK - 0803933

<https://www.phoenixcontact.com/pc/products/0803933>



Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Fabric label

Fabric label - MM-EMLC (EX12)R C1 WH/BK - 0803934

<https://www.phoenixcontact.com/pc/products/0803934>



Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

---

## Fabric label

Fabric label - MM-EMLC (EX18)R C1 WH/BK - 0803936

<https://www.phoenixcontact.com/pc/products/0803936>



Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Power supply unit

Power supply unit - THERMOFOX/ADAPTER - 0805010

<https://www.phoenixcontact.com/pc/products/0805010>



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

---

## Case

Case - THERMOMARK GO CASE - 1229456

<https://www.phoenixcontact.com/pc/products/1229456>



Practical and robust case for storing the THERMOMARK GO and THERMOMARK GO.K mobile printers as well as necessary accessories. The case provides space for nine material cartridges.



# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Insert label

Insert label - MM-EMT (EX6)R C1 WH/BK - 0803963

<https://www.phoenixcontact.com/pc/products/0803963>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 4 mm

---

## Insert label

Insert label - MM-EMT (EX8)R C1 WH/BK - 0803965

<https://www.phoenixcontact.com/pc/products/0803965>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 6 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Insert label

Insert label - MM-EMT (EX15)R C1 WH/BK - 0803966

<https://www.phoenixcontact.com/pc/products/0803966>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 13 mm

---

## Insert label

Insert label - MM-EMT (EX17)R C1 WH/BK - 0803967

<https://www.phoenixcontact.com/pc/products/0803967>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 15 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Insert label

Insert label - MM-EMT (EX18)R C1 WH/BK - 0803968

<https://www.phoenixcontact.com/pc/products/0803968>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 16 mm

---

## Insert label

Insert label - MM-EMT (EX23)R C1 WH/BK - 0803969

<https://www.phoenixcontact.com/pc/products/0803969>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 21 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Transport bag

Transport bag - THERMOMARK GO.K BAG - 0805003

<https://www.phoenixcontact.com/pc/products/0805003>



Shoulder bag for storing the THERMOMARK GO.K / THERMOFOX mobile printer as well as necessary accessory parts

---

## Cable marker label

Cable marker label - MM-WML 3 (EX10)R C1 WH/BK - 0803931

<https://www.phoenixcontact.com/pc/products/0803931>



Cable marker label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K: without print, mounting type: adhesive, lettering field size: continuous x 8 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Cable marker label

Cable marker label - MM-WML 5 (EX10)R C1 WH/BK - 0803932

<https://www.phoenixcontact.com/pc/products/0803932>



Cable marker label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K: without print, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Shrink sleeve

Shrink sleeve - MM-WMS 3,2 (EX5)R C1 WH/BK - 0803923

<https://www.phoenixcontact.com/pc/products/0803923>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 3.1 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Shrink sleeve

Shrink sleeve - MM-WMS 4,8 (EX9)R C1 WH/BK - 0803924

<https://www.phoenixcontact.com/pc/products/0803924>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 5.4 mm

---

## Shrink sleeve

Shrink sleeve - MM-WMS 6,4 (EX10)R C1 WH/BK - 0803925

<https://www.phoenixcontact.com/pc/products/0803925>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 8.2 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Shrink sleeve

Shrink sleeve - MM-WMS 9,5 (EX16)R C1 WH/BK - 0803926

<https://www.phoenixcontact.com/pc/products/0803926>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 12.8 mm

---

## Shrink sleeve

Shrink sleeve - MM-WMS-2 3,2 (EX5)R C1 WH/BK - 0803927

<https://www.phoenixcontact.com/pc/products/0803927>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 3.7 mm

1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Shrink sleeve

Shrink sleeve - MM-WMS-2 4,8 (EX9)R C1 WH/BK - 0803928

<https://www.phoenixcontact.com/pc/products/0803928>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 6.1 mm

---

## Shrink sleeve

Shrink sleeve - MM-WMS-2 6,4 (EX10)R C1 WH/BK - 0803929

<https://www.phoenixcontact.com/pc/products/0803929>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 8.5 mm



# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Shrink sleeve

Shrink sleeve - MM-WMS-2 9,5 (EX16)R C1 WH/BK - 0803930

<https://www.phoenixcontact.com/pc/products/0803930>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 12.5 mm

---

## Battery

Battery - THERMOFOX/ACCU - 0805009

<https://www.phoenixcontact.com/pc/products/0805009>



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Mounting unit

Mounting unit - THERMOMARK GO.K MAGNET HOLDER - 0805008

<https://www.phoenixcontact.com/pc/products/0805008>



Magnetic holder for mounting the THERMOMARK GO.K / THERMOFOX mobile printer on metal surfaces, such as a control cabinet.

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 GN/WH - 0803953

<https://www.phoenixcontact.com/pc/products/0803953>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 GN/WH - 0803954

<https://www.phoenixcontact.com/pc/products/0803954>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 OG/BK - 0803955

<https://www.phoenixcontact.com/pc/products/0803955>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 OG/BK - 0803956

<https://www.phoenixcontact.com/pc/products/0803956>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 OG/BK - 0803957

<https://www.phoenixcontact.com/pc/products/0803957>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 OG/BK - 0803958

<https://www.phoenixcontact.com/pc/products/0803958>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 RD/WH - 0803959

<https://www.phoenixcontact.com/pc/products/0803959>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 WH/BK - 0803937

<https://www.phoenixcontact.com/pc/products/0803937>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 WH/BK - 0803938

<https://www.phoenixcontact.com/pc/products/0803938>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 WH/BK - 0803939

<https://www.phoenixcontact.com/pc/products/0803939>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 WH/BK - 0803940

<https://www.phoenixcontact.com/pc/products/0803940>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 YE/BK - 0803941

<https://www.phoenixcontact.com/pc/products/0803941>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 YE/BK - 0803942

<https://www.phoenixcontact.com/pc/products/0803942>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm



# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 YE/BK - 0803943

<https://www.phoenixcontact.com/pc/products/0803943>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 YE/BK - 0803944

<https://www.phoenixcontact.com/pc/products/0803944>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 BU/WH - 0803945

<https://www.phoenixcontact.com/pc/products/0803945>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 BU/WH - 0803946

<https://www.phoenixcontact.com/pc/products/0803946>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 BU/WH - 0803947

<https://www.phoenixcontact.com/pc/products/0803947>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 BU/WH - 0803949

<https://www.phoenixcontact.com/pc/products/0803949>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 GN/WH - 0803950

<https://www.phoenixcontact.com/pc/products/0803950>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 GN/WH - 0803952

<https://www.phoenixcontact.com/pc/products/0803952>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 RD/WH - 0803960

<https://www.phoenixcontact.com/pc/products/0803960>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

---

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 RD/WH - 0803961

<https://www.phoenixcontact.com/pc/products/0803961>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

# Thermal transfer printer - THERMOMARK GO.K



1184146

<https://www.phoenixcontact.com/pc/products/1184146>

## Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 RD/WH - 0803962

<https://www.phoenixcontact.com/pc/products/0803962>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)