

Short-circuit connector - FBSRH 2-8



3033802

<https://www.phoenixcontact.com/de/produkte/3033802>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Short-circuit connector, pitch: 8.2 mm, color: red

Your advantages

- The bridge has a molded extraction tool which means that it can be used conveniently and without tools for individual bridging tasks

Short-circuit connector - FBSRH 2-8



3033802

<https://www.phoenixcontact.com/de/produkte/3033802>

Commercial Data

Item number	3033802
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	A1 - Reihenklemmen
Product Key	BE2Z2X
Catalog Page	Page 407 (C-1-2019)
GTIN	4046356666916
Weight per Piece (including packing)	2,66 g
Weight per Piece (excluding packing)	2,429 g
Customs tariff number	85366990
Country of origin	CN

Short-circuit connector - FBSRH 2-8



3033802

<https://www.phoenixcontact.com/de/produkte/3033802>

Technical Data

Product properties

Product type	Short-circuit connector
Number of positions	2
Pitch	8.2 mm

Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Dimensions

Width	14.7 mm
Height	40.3 mm
Pitch	8.2 mm

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting
---------------	------------------

Short-circuit connector - FBSRH 2-8



3033802

<https://www.phoenixcontact.com/de/produkte/3033802>

Classifications

ECLASS

ECLASS-9.0	27141140
ECLASS-10.0.1	27141140
ECLASS-11.0	27141140

ETIM

ETIM 8.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Short-circuit connector - FBSRH 2-8



3033802

<https://www.phoenixcontact.com/de/produkte/3033802>

Environmental Product Compliance

China RoHS

Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de