

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

## Product Description

The THERMOMARK ROLL 2.0 prints markers in roll format for top quality terminal, wire, cable, equipment, and plant marking applications. You can easily create high-quality printed labels and markers.

## Your advantages

- The THERMOMARK ROLL 2.0 prints marking material in roll format. For applications in terminal, wire, cable, equipment, and plant marking
- Printing of punched and continuous adhesive labels, insert labels, and shrink sleeves
- Fast, high-quality, and durable printing
- Easy and intuitive operation via touch color display
- Maintenance-free operation with proven thermal transfer printer technology
- Easy to control with the PROJECT COMPLETE software
- USB and Ethernet connections

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Commercial Data

|                                      |                    |
|--------------------------------------|--------------------|
| Item number                          | 1085260            |
| Packing unit                         | 1 pc               |
| Minimum order quantity               | 1 pc               |
| Product Key                          | BG1221             |
| Catalog Page                         | Page 40 (C-3-2019) |
| GTIN                                 | 4055626834764      |
| Weight per Piece (including packing) | 6,370 g            |
| Weight per Piece (excluding packing) | 6,289 g            |
| Customs tariff number                | 84433210           |
| Country of origin                    | DE                 |

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Technical Data

### Product properties

|              |                 |
|--------------|-----------------|
| Product type | Printing system |
|--------------|-----------------|

### Device properties

|                  |   |
|------------------|---|
| Operating system | MS Windows Vista, MS Windows 7 (32/64-bit), MS Windows 8 (32/64-bit), MS Windows 8.1 (32/64-bit), MS Windows 10 (32/64-bit), Server 2008, Server 2008 R2, Server 2012, Server 2012 R2 |
|------------------|---|

### Electrical properties

#### Supply

|                      |   |
|----------------------|---|
| Supply voltage range | 100 V AC ... 240 V AC (50 Hz ... 60 Hz) |
|----------------------|---|

### Interfaces

|           |                                       |
|-----------|---------------------------------------|
| Interface | 10/100 Mbps Ethernet, USB 2.0, RS-232 |
|-----------|---------------------------------------|

### Dimensions

|        |        |
|--------|--------|
| Width  | 240 mm |
| Height | 189 mm |
| Length | 320 mm |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                 |
|---------------------------------|-----------------|
| Ambient temperature (operation) | 10 °C ... 35 °C |
|---------------------------------|-----------------|

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Approvals



**EAC**

Approval ID: RU D-DE.GB09.B.00141



**CCC**

Approval ID: 2019010904194065



**KC**

Approval ID: R-R-YG3-TR20



**EAC**

Approval ID: RU D-DE.HB49.B.00023

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 19140104 |
| ECLASS-10.0.1 | 19140104 |
| ECLASS-11.0   | 19140104 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC001672 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 43212100 |
|-------------|----------|

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Environmental Product Compliance

|            |   |
|------------|---|
| REACH SVHC | Lead 7439-92-1  |
| China RoHS | Environmentally Friendly Use Period = 10;<br>For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads" |

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Accessories

### Accessories

Accessories - THERMOMARK-CP - 5145371

<https://www.phoenixcontact.com/pc/products/5145371>



Cleaning pen, for thermal transfer printers

---

## Demolition plate

Demolition plate - TR-TEAR OFF PLATE - 0801803

<https://www.phoenixcontact.com/pc/products/0801803>



Demolition plate

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Cutter

Cutter - THERMOMARK ROLL-CUTTER - 5146422

<https://www.phoenixcontact.com/pc/products/5146422>



Cutter for THERMOMARK ROLL and THERMOMARK ROLL 2.0, cutter width: 110 mm, suitable for: TML, SK, EML-RM, PMM, WMS, WMS-2 HF, WMS-OT HF, TMT continuous media, and EMT (EX15)R

---

## Cutter

Cutter - THERMOMARK ROLL-CUTTER/P - 5146435

<https://www.phoenixcontact.com/pc/products/5146435>



Perforation cutter, for the THERMOMARK ROLL and THERMOMARK ROLL 2.0, cutter width: 45 mm, suitable for: WMS continuous media up to 25.4 mm, WMS-2 continuous media up to 25.4 mm, WMS-OT HF continuous media, TMT continuous media, and EMT (EX15)R



# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Media hub

Media hub - THERMOMARK ROLL-ERH - 5146448

<https://www.phoenixcontact.com/pc/products/5146448>



External media hub, for the THERMOMARK ROLL, for roll diameter of 150 to 400 mm

---

## Media hub

Media hub - THERMOMARK-ERH 500 - 5146309

<https://www.phoenixcontact.com/pc/products/5146309>



External media hub, for the THERMOMARK ROLL, for roll diameter of up to 500 mm

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Original packaging

Original packaging - TC/TR-PACKAGE WITH FOAM - 0801804

<https://www.phoenixcontact.com/pc/products/0801804>



Original packaging for transportation

---

## Cart for printer

Cart for printer - TL CASE TROLLY - 0803337

<https://www.phoenixcontact.com/pc/products/0803337>



Trolley for the transport cases for THERMOMARK LINE and THERMOMARK ROLL X1

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Manual

Manual - UM IA THERMOMARK ROLL - 2910897

<https://www.phoenixcontact.com/pc/products/2910897>

Manual



---

## Transport case

Transport case - TL CASE - 0800613

<https://www.phoenixcontact.com/pc/products/0800613>

Transport case for THERMOMARK printer, rounded profile case with aluminum frame



# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Pressure roller

Pressure roller - TR-PRESSURE ROLLER DR4-50 - 0801800

<https://www.phoenixcontact.com/pc/products/0801800>

Pressure roller



---

## Pressure roller

Pressure roller - TR-PRESSURE ROLLER STANDARD - 0801802

<https://www.phoenixcontact.com/pc/products/0801802>

Pressure roller



# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Software

Software - PROJECT COMPLETE - 1050453

<https://www.phoenixcontact.com/pc/products/1050453>



Intuitive planning and marking software for configuring terminal strips and for professional marking of marking materials for terminal blocks, conductors, cables, devices, and systems. The software is available for download

---

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-WMTB HF - 5148007

<https://www.phoenixcontact.com/pc/products/5148007>



Ink ribbon, for roll printer for printing product groups WMTB HF..., WMS-2 HF..., TMT..., EMT..., EMLF..., PML-..., width: 110 mm, color: black

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110 - 5145384

<https://www.phoenixcontact.com/pc/products/5145384>



Ink ribbon, for roll printers for printing the product groups TML..., WML..., WML HF..., WML-FLAG..., EML..., EML-ESD..., EML-RM..., EML-HA..., EMLS..., EMLC..., EMLP... and PMM..., width: 110 mm, color: black

---

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110 BU - 0829544

<https://www.phoenixcontact.com/pc/products/0829544>



Ink ribbon, width: 110 mm, color: blue

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110 GN - 0829542

<https://www.phoenixcontact.com/pc/products/0829542>

Ink ribbon, width: 110 mm, color: green



---

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110 RD - 0829543

<https://www.phoenixcontact.com/pc/products/0829543>

Ink ribbon, width: 110 mm, color: red



# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-EML-HT - 0800342

<https://www.phoenixcontact.com/pc/products/0800342>



Ink ribbon, for roll printer for printing product group EML-HT..., width: 110 mm, color: black

---

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-WMSU - 0801358

<https://www.phoenixcontact.com/pc/products/0801358>



Ink ribbon, for roll printer for printing product groups WMS... and WMS-2 HF..., width: 110 mm, color: black



# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-WMSU WH - 0801359

<https://www.phoenixcontact.com/pc/products/0801359>



Ink ribbon, for roll printer for printing product group WMS... (black), width: 110 mm, color: white

---

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 64-WMSU - 0801360

<https://www.phoenixcontact.com/pc/products/0801360>



Ink ribbon, for roll printer for printing product groups WMS... and WMS-2 HF..., width: 64 mm, color: black

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 64-WMSU WH - 0801361

<https://www.phoenixcontact.com/pc/products/0801361>



Ink ribbon, for roll printer for printing product group WMS... (black), width: 64 mm, color: white

---

## Ink ribbon

Ink ribbon - TM-RIBBON 25 BK 102 - 1053499

<https://www.phoenixcontact.com/pc/products/1053499>



Ink ribbon, for printing WMS-OT/WMS-2 HF... materials, width: 25 mm, color: black

# Thermal transfer printer - THERMOMARK ROLL 2.0



1085260

<https://www.phoenixcontact.com/pc/products/1085260>

## Locking

Locking - TR-MARGIN STOP - 0801810

<https://www.phoenixcontact.com/pc/products/0801810>



Locking

---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)