

# Warning cover - WST 10/35

3030006

<https://www.phoenixcontact.com/pc/products/3030006>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Warning cover, 5-pos., for terminal widths of 10.2 mm, 12.2 mm, and 16 mm



---

## Your advantages

- Accidental actuation of the terminal points is prevented
- Warning labels and warning covers serve to cover and identify mains terminal blocks
- The warning labels snap into the screw and actuation shafts of the relevant terminal block
- Can be isolated lengthwise and crosswise

# Warning cover - WST 10/35

3030006

<https://www.phoenixcontact.com/pc/products/3030006>



## Commercial Data

Item number	3030006
Packing unit	25 pc
Minimum order quantity	25 pc
Product Key	BG2511
Catalog Page	Page 155 (C-3-2019)
GTIN	4046356303040
Weight per Piece (including packing)	1.493 g
Weight per Piece (excluding packing)	1.43 g
Customs tariff number	49119900
Country of origin	PL

## Technical Data

### Product properties

Product type	Labeled terminal marker
Number of positions	5
Pitch	9.35 mm
Type	high

### Mounting

Mounting type	plug in
---------------	---------

### Material specifications

Color	yellow
Material	PA
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

	VW PV 3.10.7:2005-02
Result	Test passed

#### UV resistance

Specification	Following ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h

#### Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
---------------	-------------------------------------

#### Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S
Cycles	2

#### Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

### Dimensions

Width	10.2 mm
Height	1 mm
Length	11.8 mm
Pitch	9.35 mm

# Warning cover - WST 10/35

3030006

<https://www.phoenixcontact.com/pc/products/3030006>



## Standards and regulations

Wipe resistance

DIN EN 61010-1 (VDE 0411-1)

# Warning cover - WST 10/35

3030006

<https://www.phoenixcontact.com/pc/products/3030006>



## Classifications

### ECLASS

ECLASS-9.0	27141137
ECLASS-10.0.1	27141137
ECLASS-11.0	27281107

### ETIM

ETIM 8.0	EC001777
----------	----------

### UNSPSC

UNSPSC 21.0	55121700
-------------	----------

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 (0) 5235-3 00  
[info@phoenixcontact.com](mailto:info@phoenixcontact.com)