

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 10 x 4 mm

---

## Your advantages

- The corresponding UC-WMT ..., US-WMT ..., and EMT ... insert labels are used for marking
- These conductor marking systems consist of marker carriers and insert labels
- The PATG ... collar is a captive marker carrier
- Can be used to mark conductors with a diameter of 0.6 mm ... 50 mm

# Conductor marker carrier - PATG 3/10



1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Commercial Data

Item number	1013821
Packing unit	500 pc
Minimum order quantity	500 pc
Product Key	BG221A
Catalog Page	Page 248 (C-3-2019)
GTIN	4017918014018
Weight per Piece (including packing)	0.256 g
Weight per Piece (excluding packing)	0.256 g
Customs tariff number	39269097
Country of origin	DE

# Conductor marker carrier - PATG 3/10



1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Technical Data

### Product properties

Product type	Marker carrier cable
Type	Profile

### Dimensions

Width	7.5 mm
Length	10 mm

### External dimensions

Outside diameter	4 mm ... 7 mm
External diameter min.	4 mm
External diameter max.	7 mm

### Material specifications

Color	transparent
RoHS compliant	Yes
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free
Silicone-free	Yes

### Cable / line

#### Cable structure

External cable diameter	4 mm ... 7 mm
-------------------------	---------------

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

	VW PV 3.10.7:2005-02
Result	Test passed

#### Ambient conditions

Ambient temperature (operation)	-50 °C ... 80 °C
---------------------------------	------------------

### Mounting

Mounting type	slide-on
---------------	----------

# Conductor marker carrier - PATG 3/10



1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Classifications

### ECLASS

ECLASS-9.0	27400401
ECLASS-10.0.1	27400401
ECLASS-11.0	27281105

### ETIM

ETIM 8.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Conductor marker carrier - PATG 3/10



1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Accessories

### Insert label

Insert label - EMT (10X4)R - 0816235

<https://www.phoenixcontact.com/pc/products/0816235>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 7500

---

### Insert label

Insert label - MM-EMT (EX4)R C1 WH/BK - 1169312

<https://www.phoenixcontact.com/pc/products/1169312>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 3 mm

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - UC-WMT (10X4) - 0819372

<https://www.phoenixcontact.com/pc/products/0819372>




Cable marker, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48

---

## Cable marker

Cable marker - UC-WMT (10X4) YE - 0819385

<https://www.phoenixcontact.com/pc/products/0819385>



Cable marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - UC-WMT (10X4) BU - 0820992

<https://www.phoenixcontact.com/pc/products/0820992>



Cable marker, Sheet, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48

---

## Cable marker

Cable marker - UC-WMT (10X4) RD - 0821001

<https://www.phoenixcontact.com/pc/products/0821001>



Cable marker, Sheet, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - UC-WMT (10X4) OG - 0823986

<https://www.phoenixcontact.com/pc/products/0823986>



Cable marker, Sheet, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48

---

## Cable marker

Cable marker - UC-WMT (10X4) GN - 0823999

<https://www.phoenixcontact.com/pc/products/0823999>



Cable marker, Sheet, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48



# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - UC-WMT (10X4) VT - 0825360

<https://www.phoenixcontact.com/pc/products/0825360>



Cable marker, Sheet, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 48

---

## Cable marker

Cable marker - US-WMT (10X4) - 0828765

<https://www.phoenixcontact.com/pc/products/0828765>



Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - US-WMT (10X4) YE - 0828952

<https://www.phoenixcontact.com/pc/products/0828952>



Cable marker, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

---

## Cable marker

Cable marker - US-WMT (10X4) RD - 0829273

<https://www.phoenixcontact.com/pc/products/0829273>



Cable marker, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

# Conductor marker carrier - PATG 3/10


1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - US-WMT (10X4) OG - 0829274

<https://www.phoenixcontact.com/pc/products/0829274>



Cable marker, Card, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

---

## Cable marker

Cable marker - US-WMT (10X4) VT - 0829276

<https://www.phoenixcontact.com/pc/products/0829276>



Cable marker, Card, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

# Conductor marker carrier - PATG 3/10


1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - US-WMT (10X4) BU - 0829277

<https://www.phoenixcontact.com/pc/products/0829277>




Cable marker, Card, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

---

## Cable marker

Cable marker - US-WMT (10X4) GN - 0829278

<https://www.phoenixcontact.com/pc/products/0829278>



Cable marker, Card, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 112

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Cable marker

Cable marker - WMTW (10X4)R - 0831000

<https://www.phoenixcontact.com/pc/products/0831000>



Cable marker, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 3000

---

## Cable marker

Cable marker - WMTW (10X4)R YE - 0831001

<https://www.phoenixcontact.com/pc/products/0831001>



Cable marker, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 3000

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Conductor marker

Conductor marker - UCT-WMT (10X4) - 0801430

<https://www.phoenixcontact.com/pc/products/0801430>




Conductor marker, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60

---

## Conductor marker

Conductor marker - UCT-WMT (10X4) YE - 0801431

<https://www.phoenixcontact.com/pc/products/0801431>



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60

# Conductor marker carrier - PATG 3/10

1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Conductor marker

Conductor marker - UCT-WMT (10X4) RD - 0801433

<https://www.phoenixcontact.com/pc/products/0801433>




Conductor marker, Sheet, red, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60

---

## Conductor marker

Conductor marker - UCT-WMT (10X4) OG - 0801434

<https://www.phoenixcontact.com/pc/products/0801434>



Conductor marker, Sheet, orange, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60

# Conductor marker carrier - PATG 3/10


1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Conductor marker

Conductor marker - UCT-WMT (10X4) GN - 0801435

<https://www.phoenixcontact.com/pc/products/0801435>



Conductor marker, Sheet, green, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60

---

## Conductor marker

Conductor marker - UCT-WMT (10X4) VT - 0801436

<https://www.phoenixcontact.com/pc/products/0801436>



Conductor marker, Sheet, violet, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60



# Conductor marker carrier - PATG 3/10



1013821

<https://www.phoenixcontact.com/pc/products/1013821>

## Conductor marker

Conductor marker - UCT-WMT (10X4) BU - 0801437

<https://www.phoenixcontact.com/pc/products/0801437>



Conductor marker, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 0.6 ... 7 mm, lettering field size: 10 x 4 mm, Number of individual labels: 60

---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)