

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Mobile thermal transfer printer for marking materials in cartridge format incl. accessories in a practical case. The printer can print materials in continuous format up to a material width of 24 mm.

Product Description

The THERMOMARK GO.K SET contains a mobile printer that is ideal for fast identification on site. The thermal transfer printer is robust, easy to use, and offers versatile functions. It processes continuous media for terminal marking, cable and wire marking, equipment marking, and plant marking.

Scope of supply:

THERMOMARK GO.K, case, battery, power supply unit incl. 4 adapters, USB cable, MM-EMLF (EX18)R C1 WH/BK, MM-EMLC (EX18)R C1 WH/BK, brief instructions

Your advantages

- Maintenance-free operation with proven thermal transfer printer technology
- 8 different bar codes and over 300 symbols can be integrated; up to 20 projects can be created and stored directly on the device
- Printing of self-adhesive, non-sticky labels and shrink sleeves
- The THERMOMARK GO.K prints materials in cartridge format, which contain the material to be marked and the appropriate ink ribbon
- Intuitive user guidance thanks to a well-structured menu and direct input keys
- Alternative control via the PROJECT complete software
- Maximum flexibility for all transport situations with the proven L-BOXX system
- Everything needed, always available in the field: The case has sufficient space for your printing system, including accessories and for 9 material cartridges
- Ideal protection of your printing system in all everyday situations thanks to resistant materials and a securely closing buckle
- Easy and efficient storage and transportation of your mobile printing system

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Commercial Data

Item number	1184148
Packing unit	1 pc
Minimum order quantity	1 pc
Product Key	BG1222
GTIN	4063151223533
Weight per Piece (including packing)	3,390 g
Weight per Piece (excluding packing)	2,130.23 g
Customs tariff number	84433210
Country of origin	CN

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Technical Data

Product properties

Product type	Printing system
Set consists of	1184146 THERMOMARK GO.K
	0805009 THERMOFOX/ACCU
	0805010 THERMOFOX/ADAPTER
	0803939 MM-EMLF (EX18)R C1 WH/BK
	0803936 MM-EMLC (EX18)R C1 WH/BK
	1229456 THERMOMARK GO CASE

Interfaces

Interface	USB
-----------	-----

Dimensions

Width	98 mm
Height	69 mm
Length	230 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Classifications

ECLASS

ECLASS-9.0	19140104
ECLASS-11.0	19140104

ETIM

ETIM 8.0	EC001672
----------	----------

UNSPSC

UNSPSC 21.0	43212100
-------------	----------

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Accessories

Insert label

Insert label - MM-EMT (EX6)R C1 WH/BK - 0803963

<https://www.phoenixcontact.com/pc/products/0803963>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 4 mm

Insert label

Insert label - MM-EMT (EX8)R C1 WH/BK - 0803965

<https://www.phoenixcontact.com/pc/products/0803965>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 6 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Insert label

Insert label - MM-EMT (EX15)R C1 WH/BK - 0803966

<https://www.phoenixcontact.com/pc/products/0803966>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 13 mm

Insert label

Insert label - MM-EMT (EX17)R C1 WH/BK - 0803967

<https://www.phoenixcontact.com/pc/products/0803967>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 15 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Insert label

Insert label - MM-EMT (EX18)R C1 WH/BK - 0803968

<https://www.phoenixcontact.com/pc/products/0803968>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 16 mm

Insert label

Insert label - MM-EMT (EX23)R C1 WH/BK - 0803969

<https://www.phoenixcontact.com/pc/products/0803969>



Insert label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, lettering field size: continuous x 21 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Transport bag

Transport bag - THERMOMARK GO.K BAG - 0805003

<https://www.phoenixcontact.com/pc/products/0805003>



Shoulder bag for storing the THERMOMARK GO.K / THERMOFOX mobile printer as well as necessary accessory parts

Cable marker label

Cable marker label - MM-WML 3 (EX10)R C1 WH/BK - 0803931

<https://www.phoenixcontact.com/pc/products/0803931>



Cable marker label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K: without print, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Cable marker label

Cable marker label - MM-WML 5 (EX10)R C1 WH/BK - 0803932

<https://www.phoenixcontact.com/pc/products/0803932>



Cable marker label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K: without print, mounting type: adhesive, lettering field size: continuous x 8 mm

Fastening clip

Fastening clip - THERMOMARK GO.K BELT CLIP - 0805004

<https://www.phoenixcontact.com/pc/products/0805004>



Clip for fastening the THERMOMARK GO.K / THERMOFOX mobile printer to a belt.

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Charging tray

Charging tray - THERMOFOX/CHARGER - 0805012

<https://www.phoenixcontact.com/pc/products/0805012>



Charging cradle for charging the THERMOFOX/ACCU battery (0805009), which is required for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Shrink sleeve

Shrink sleeve - MM-WMS 3,2 (EX5)R C1 WH/BK - 0803923

<https://www.phoenixcontact.com/pc/products/0803923>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1 ... 3.2 mm, lettering field size: continuous x 3.1 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Shrink sleeve

Shrink sleeve - MM-WMS 4,8 (EX9)R C1 WH/BK - 0803924

<https://www.phoenixcontact.com/pc/products/0803924>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 4.8 mm, lettering field size: continuous x 5.4 mm

Shrink sleeve

Shrink sleeve - MM-WMS 6,4 (EX10)R C1 WH/BK - 0803925

<https://www.phoenixcontact.com/pc/products/0803925>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.1 ... 6.4 mm, lettering field size: continuous x 8.2 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Shrink sleeve

Shrink sleeve - MM-WMS 9,5 (EX16)R C1 WH/BK - 0803926

<https://www.phoenixcontact.com/pc/products/0803926>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 9.5 mm, lettering field size: continuous x 12.8 mm

Shrink sleeve

Shrink sleeve - MM-WMS-2 3,2 (EX5)R C1 WH/BK - 0803927

<https://www.phoenixcontact.com/pc/products/0803927>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 1.6 ... 3.2 mm, lettering field size: continuous x 3.7 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Shrink sleeve

Shrink sleeve - MM-WMS-2 4,8 (EX9)R C1 WH/BK - 0803928

<https://www.phoenixcontact.com/pc/products/0803928>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 2.4 ... 4.8 mm, lettering field size: continuous x 6.1 mm

Shrink sleeve

Shrink sleeve - MM-WMS-2 6,4 (EX10)R C1 WH/BK - 0803929

<https://www.phoenixcontact.com/pc/products/0803929>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 3.2 ... 6.4 mm, lettering field size: continuous x 8.5 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Shrink sleeve

Shrink sleeve - MM-WMS-2 9,5 (EX16)R C1 WH/BK - 0803930

<https://www.phoenixcontact.com/pc/products/0803930>



Shrink sleeve, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: slide-on, cable diameter range: 4.8 ... 9.5 mm, lettering field size: continuous x 12.5 mm

Battery

Battery - THERMOFOX/ACCU - 0805009

<https://www.phoenixcontact.com/pc/products/0805009>



Battery for mobile operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Mounting unit

Mounting unit - THERMOMARK GO.K MAGNET HOLDER - 0805008

<https://www.phoenixcontact.com/pc/products/0805008>



Magnetic holder for mounting the THERMOMARK GO.K / THERMOFOX mobile printer on metal surfaces, such as a control cabinet.

Label

Label - MM-EML (EX10)R C1 WH/BK - 0803970

<https://www.phoenixcontact.com/pc/products/0803970>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET

1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label

Label - MM-EML (EX12)R C1 WH/BK - 0803971

<https://www.phoenixcontact.com/pc/products/0803971>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label

Label - MM-EML (EX18)R C1 WH/BK - 0803972

<https://www.phoenixcontact.com/pc/products/0803972>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label

Label - MM-EML (EX24)R C1 WH/BK - 0803973

<https://www.phoenixcontact.com/pc/products/0803973>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Label

Label - MM-EML (EX10)R C1 SR/BK - 0803974

<https://www.phoenixcontact.com/pc/products/0803974>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label

Label - MM-EML (EX12)R C1 SR/BK - 0803975

<https://www.phoenixcontact.com/pc/products/0803975>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label

Label - MM-EML (EX18)R C1 SR/BK - 0803976

<https://www.phoenixcontact.com/pc/products/0803976>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label

Label - MM-EML (EX24)R C1 SR/BK - 0803978

<https://www.phoenixcontact.com/pc/products/0803978>



Label, Roll, silver, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Label

Label - MM-TML (EX4,2)R C1 TR/BK - 0803979

<https://www.phoenixcontact.com/pc/products/0803979>



Label, Roll, transparent, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 3.2 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label

Label - MM-TML (EX9,5)R C1 TR/BK - 0803981

<https://www.phoenixcontact.com/pc/products/0803981>



Label, Roll, transparent, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 7.5 mm

Label

Label - MM-TMT (EX6,35)R C1 WH/BK - 0803982

<https://www.phoenixcontact.com/pc/products/0803982>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, snap into flat marker groove, for terminal block width: 5500 mm, lettering field size: continuous x 4.3 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label

Label - MM-TMT (EX9,5)R C1 WH/BK - 0803983

<https://www.phoenixcontact.com/pc/products/0803983>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snap in, for terminal block width: 5500 mm, lettering field size: continuous x 7.5 mm

Label

Label - MM-TML (EX3,8)R C1 WH/BK - 1092026

<https://www.phoenixcontact.com/pc/products/1092026>



Label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, for terminal block width: 8000 mm, lettering field size: continuous x 2.8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Fabric label

Fabric label - MM-EMLC (EX10)R C1 WH/BK - 0803933

<https://www.phoenixcontact.com/pc/products/0803933>



Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Fabric label

Fabric label - MM-EMLC (EX12)R C1 WH/BK - 0803934

<https://www.phoenixcontact.com/pc/products/0803934>



Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Fabric label

Fabric label - MM-EMLC (EX18)R C1 WH/BK - 0803936

<https://www.phoenixcontact.com/pc/products/0803936>



Fabric label, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Power supply unit

Power supply unit - THERMOFOX/ADAPTER - 0805010

<https://www.phoenixcontact.com/pc/products/0805010>



Power supply unit incl. 4 adapters for operation of the THERMOMARK GO and THERMOMARK GO.K / THERMOFOX printers.

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 GN/WH - 0803953

<https://www.phoenixcontact.com/pc/products/0803953>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 GN/WH - 0803954

<https://www.phoenixcontact.com/pc/products/0803954>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 OG/BK - 0803955

<https://www.phoenixcontact.com/pc/products/0803955>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 OG/BK - 0803956

<https://www.phoenixcontact.com/pc/products/0803956>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 OG/BK - 0803957

<https://www.phoenixcontact.com/pc/products/0803957>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 OG/BK - 0803958

<https://www.phoenixcontact.com/pc/products/0803958>



Label, highly flexible, Roll, orange, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 RD/WH - 0803959

<https://www.phoenixcontact.com/pc/products/0803959>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 WH/BK - 0803937

<https://www.phoenixcontact.com/pc/products/0803937>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 WH/BK - 0803938

<https://www.phoenixcontact.com/pc/products/0803938>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 WH/BK - 0803939

<https://www.phoenixcontact.com/pc/products/0803939>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 WH/BK - 0803940

<https://www.phoenixcontact.com/pc/products/0803940>



Label, highly flexible, Roll, white, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 24 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 YE/BK - 0803941

<https://www.phoenixcontact.com/pc/products/0803941>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 YE/BK - 0803942

<https://www.phoenixcontact.com/pc/products/0803942>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 YE/BK - 0803943

<https://www.phoenixcontact.com/pc/products/0803943>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 YE/BK - 0803944

<https://www.phoenixcontact.com/pc/products/0803944>



Label, highly flexible, Roll, yellow, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 BU/WH - 0803945

<https://www.phoenixcontact.com/pc/products/0803945>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 BU/WH - 0803946

<https://www.phoenixcontact.com/pc/products/0803946>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 BU/WH - 0803947

<https://www.phoenixcontact.com/pc/products/0803947>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 BU/WH - 0803949

<https://www.phoenixcontact.com/pc/products/0803949>



Label, highly flexible, Roll, blue, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX10)R C1 GN/WH - 0803950

<https://www.phoenixcontact.com/pc/products/0803950>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 8 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 GN/WH - 0803952

<https://www.phoenixcontact.com/pc/products/0803952>



Label, highly flexible, Roll, green, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX12)R C1 RD/WH - 0803960

<https://www.phoenixcontact.com/pc/products/0803960>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 10 mm

Thermal transfer printer set - THERMOMARK GO.K SET



1184148

<https://www.phoenixcontact.com/pc/products/1184148>

Label, highly flexible

Label, highly flexible - MM-EMLF (EX18)R C1 RD/WH - 0803961

<https://www.phoenixcontact.com/pc/products/0803961>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 16 mm

Label, highly flexible

Label, highly flexible - MM-EMLF (EX24)R C1 RD/WH - 0803962

<https://www.phoenixcontact.com/pc/products/0803962>



Label, highly flexible, Roll, red, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: adhesive, lettering field size: continuous x 22 mm

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com