

Support bracket - AB-SK 65

3026489

<https://www.phoenixcontact.com/de/produkte/3026489>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Support bracket, Bracket for busbars, set every 20 cm, length: 95.5 mm, width: 6.2 mm, number of positions: 1, color: gray



Your advantages

- Available in two lengths
- The AB-SK single-sided shield supports are particularly suitable for space-saving conductor connection for terminal blocks and devices with lateral cable entry
- For mounting SK shield connection clamps

Support bracket - AB-SK 65

3026489

<https://www.phoenixcontact.com/de/produkte/3026489>



Commercial Data

Item number	3026489
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	B1 - Markierung Montage
Product Key	BE7113
Catalog Page	Page 571 (C-3-2019)
GTIN	4017918157128
Weight per Piece (including packing)	18,51 g
Weight per Piece (excluding packing)	18,22 g
Customs tariff number	85389099
Country of origin	PL

Support bracket - AB-SK 65

3026489

<https://www.phoenixcontact.com/de/produkte/3026489>



Technical Data


Product properties

Product type	Support
Number of positions	1

Electrical properties

Nominal current I_N	0 A
-----------------------	-----

Dimensions

Dimensional drawing	
Width	6.2 mm
Height NS 35/15	36.2 mm
Height NS 35/7,5	28.7 mm
Length	95.5 mm

Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Support bracket - AB-SK 65


3026489

<https://www.phoenixcontact.com/de/produkte/3026489>



Drawings

Dimensional drawing



Support bracket - AB-SK 65

3026489

<https://www.phoenixcontact.com/de/produkte/3026489>



Classifications

ECLASS

ECLASS-9.0	27400607
ECLASS-10.0.1	27400607
ECLASS-11.0	27400607

ETIM

ETIM 8.0	EC001166
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

Support bracket - AB-SK 65

3026489

<https://www.phoenixcontact.com/de/produkte/3026489>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de