

Rail adapters - FIXOCAP F

1201471

<https://www.phoenixcontact.com/de/produkte/1201471>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Rail adapter, snaps into NS 32 DIN rail, plastic with embedded M4 and M6 nuts, for attaching switchgear

Rail adapters - FIXOCAP F



1201471

<https://www.phoenixcontact.com/de/produkte/1201471>

Commercial Data

Item number	1201471
Packing unit	100 pc
Minimum order quantity	1 pc
Sales Key	B1 - Markierung Montage
Product Key	BE7114
Catalog Page	Page 545 (C-3-2019)
GTIN	4017918017354
Weight per Piece (including packing)	3,448 g
Weight per Piece (excluding packing)	3,448 g
Customs tariff number	39269097
Country of origin	FR

Rail adapters - FIXOCAP F

1201471

<https://www.phoenixcontact.com/de/produkte/1201471>



Technical Data

Product properties

Product type	Mounting material
--------------	-------------------

Material specifications

Color	white
Material	PA
Coating	uncoated

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 80 °C
---------------------------------	------------------

Mounting

Mounting type	Snap in
---------------	---------

Rail adapters - FIXOCAP F



1201471

<https://www.phoenixcontact.com/de/produkte/1201471>

Classifications

ECLASS

ECLASS-9.0	27370419
ECLASS-10.0.1	27370419
ECLASS-11.0	27370419

ETIM

ETIM 8.0	EC001024
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Rail adapters - FIXOCAP F

1201471

<https://www.phoenixcontact.com/de/produkte/1201471>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Rail adapters - FIXOCAP F

1201471

<https://www.phoenixcontact.com/de/produkte/1201471>



Accessories

DIN rail perforated

DIN rail perforated - NS 32 PERF 2000MM-VPE 10 - 1201002

<https://www.phoenixcontact.com/de/produkte/1201002>



DIN rail perforated, acc. to EN 60715, material: Steel, galvanized, passivated with a thick layer, G profile, color: silver, Pack of 10 (20 m)

DIN rail, unperforated

DIN rail, unperforated - NS 32 UNPERF 2000MM-VPE 10 - 1201015

<https://www.phoenixcontact.com/de/produkte/1201015>



DIN rail, unperforated, acc. to EN 60715, material: Steel, galvanized, passivated with a thick layer, G profile, color: silver, Pack of 10 (20 m)

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH

Flachsmarktstraße 8

D-32825 Blomberg

+49 52 35/3-1 20 00

info@phoenixcontact.de