

# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

---

Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: Assembly with cable ties, cable diameter: > 13 mm, lettering field size: 24 x 5 mm, Number of individual labels: 35



---

## Your advantages

- The markers, which are supplied as uniform cards, can be labeled quickly, easily, and cost-effectively using the THERMOMARK CARD
- The US-WMTB... UniSheet labeling range includes markers that can be secured using standard cable binders
- The perforated marking strips are easy to separate and can be easily fitted
- The cards provide space for including function texts

# Cable marker - US-WMTB (24X5)



0828771

<https://www.phoenixcontact.com/pc/products/0828771>

## Commercial Data

Item number	0828771
Packing unit	10 pc
Minimum order quantity	10 pc
Product Key	BG2319
Catalog Page	Page 214 (C-3-2019)
GTIN	4046356559874
Weight per Piece (including packing)	12.38 g
Weight per Piece (excluding packing)	11 g
Customs tariff number	39204910
Country of origin	DE

# Cable marker - US-WMTB (24X5)



0828771

<https://www.phoenixcontact.com/pc/products/0828771>

## Technical Data

### Product properties

Product type	Conductor marking
Type	Card form

### Marking

Number of individual labels	35
Number of individual labels per row	7

### Dimensions

Width	14 mm
Length	24 mm

### External dimensions

Outside diameter	> 13 mm ... 136 mm
------------------	--------------------

### Material specifications

Color	white
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

### Cable / line

#### Cable structure

External cable diameter	> 13 mm
-------------------------	---------

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

	VW PV 3.10.7:2005-02
Result	Test passed

#### UV resistance

Specification	Following ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h

#### Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)

#### Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1,0 S

# Cable marker - US-WMTB (24X5)



0828771

<https://www.phoenixcontact.com/pc/products/0828771>

Cycles	2
--------	---

## Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

## Ambient conditions

Ambient temperature (operation)	-30 °C ... 80 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.

## Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

## Mounting

Mounting type	Assembly with cable ties
---------------	--------------------------

# Cable marker - US-WMTB (24X5)



0828771

<https://www.phoenixcontact.com/pc/products/0828771>

## Classifications

### ECLASS

ECLASS-9.0	27400401
ECLASS-10.0.1	27400401
ECLASS-11.0	27281102

### ETIM

ETIM 8.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



## Accessories

### Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 BK 100 - 0803374

<https://www.phoenixcontact.com/pc/products/0803374>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., width: 110 mm, color: black



---

### Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 BK 101 - 0803714

<https://www.phoenixcontact.com/pc/products/0803714>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., width: 110 mm, color: black



# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



## Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 BU 100 - 0803378

<https://www.phoenixcontact.com/pc/products/0803378>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., width: 110 mm, color: blue



---

## Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 GN 100 - 0803380

<https://www.phoenixcontact.com/pc/products/0803380>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., width: 110 mm, color: green



# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>

## Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 RD 100 - 0803377

<https://www.phoenixcontact.com/pc/products/0803377>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., width: 110 mm, color: red



---

## Ink ribbon cartridge

Ink ribbon cartridge - TMP-RIBBON 110 YE 100 - 0803379

<https://www.phoenixcontact.com/pc/products/0803379>

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)..., US-TM(F)L..., US-WMTB..., US-EML..., US-EML(S)P..., US-EMLP-HA..., US-EM(S)P..., US-EML-RS..., width: 110 mm, color: yellow





## Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



### Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110/50-TC - 0801384

<https://www.phoenixcontact.com/pc/products/0801384>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

---

### Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371

<https://www.phoenixcontact.com/pc/products/0801371>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



## Ink cartridge

Ink cartridge - BM ID-CARTR. BK - 1044345

<https://www.phoenixcontact.com/pc/products/1044345>



Replacement UV fluid, 23 ml, color: black

---

## Ink cartridge

Ink cartridge - BM ID-CARTR. CY - 1044346

<https://www.phoenixcontact.com/pc/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



## Ink cartridge

Ink cartridge - BM ID-CARTR. MA - 1044347

<https://www.phoenixcontact.com/pc/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

---

## Ink cartridge

Ink cartridge - BM ID-CARTR. YE - 1044348

<https://www.phoenixcontact.com/pc/products/1044348>



Replacement UV fluid, 23 ml, color: yellow

# Cable marker - US-WMTB (24X5)

0828771

<https://www.phoenixcontact.com/pc/products/0828771>



## Magazine

Magazine - TMP-US-MAG1 - 0803341

<https://www.phoenixcontact.com/pc/products/0803341>

Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards



---

## Magazine

Magazine - BM ID-ADAPTER PLATE-US - 1044355

<https://www.phoenixcontact.com/pc/products/1044355>

Adapter plate for accommodating US sheets



---

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstraße 8  
D-32825 Blomberg  
+49 (0) 5235-3 00  
[info@phoenixcontact.com](mailto:info@phoenixcontact.com)