

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Tool case, lockable, with adjustable strap, equipped with: cable cutter, diagonal cutter, micro cutter, stripping and sheath removal tools, crimping tool set, combination, needle-nose, and water pump pliers, VDE bladed and Phillips screwdrivers, control cabinet key, voltage tester, ferrule box, blades, tape measure, continuity tester, marking tool, ring and open-end wrench set, adjustable wrench, T-handle Allen key, safety glasses, hammer, 47-piece ratchet socket wrench set, 1/4"

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Commercial Data

Item number	1212629
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	N2 - Druck.Zubh.+HandWKZ
Product Key	BH3511
Catalog Page	Page 476 (C-3-2019)
GTIN	4046356652483
Weight per Piece (including packing)	13.280 g
Weight per Piece (excluding packing)	13.280 g
Customs tariff number	82060000
Country of origin	DE

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Set consists of

Cable-cutting tool

Cable-cutting tool - CUTFOX 12 - 1212128

<https://www.phoenixcontact.com/de/produkte/1212128>



Cable cutter, for copper and aluminum up to 12 mm diameter (up to 35 mm²)

Diagonal cutter

Diagonal cutter - CUTFOX-S VDE - 1212207

<https://www.phoenixcontact.com/de/produkte/1212207>



Diagonal cutter for hard (piano wire) and soft wires, VDE 1000 V AC/1500 V DC tested

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Diagonal cutter

Diagonal cutter - MICROFOX-SB - 1212489

<https://www.phoenixcontact.com/de/produkte/1212489>



Electronic diagonal cutter, round head, without chamfer, with opening spring, mirror-polished and oiled, 2-component grip, cutting capacity: soft 0.2 - 2.0 mm; medium hard 1.2 mm; hard 0.5 mm diameter

Stripping tool

Stripping tool - WIREFOX 10 - 1212150

<https://www.phoenixcontact.com/de/produkte/1212150>



Stripping tool, for cables and conductors from 0.02 - 10 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Stripping tool

Stripping tool - WIREFOX-D 13 - 1212162

<https://www.phoenixcontact.com/de/produkte/1212162>



Stripping tool, for stripping installation lines of \varnothing 8 - 13 mm , e.g. NYM 3 x 1.5 mm² to 5 x 2.5 mm², single line stripping 0.2 mm² - 4 mm² , with longitudinal cut blade and sliding knife

Stripping tool

Stripping tool - WIREFOX-D 28 - 1212174

<https://www.phoenixcontact.com/de/produkte/1212174>



Stripping tool, for stripping lines of \varnothing 8 - 28 mm

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Stripping tool

Stripping tool - WIREFOX-D 11 - 1212160

<https://www.phoenixcontact.com/de/produkte/1212160>



Stripping tool, for stripping multicore signal, control and fiberglass wires of \varnothing 2.5 - 11 mm. Insulation thickness up to 1 mm

Crimping pliers set

Crimping pliers set - CRIMPFOX-M SET - 1212093

<https://www.phoenixcontact.com/de/produkte/1212093>



Crimping pliers set, consisting of CRIMPFOX-M (pliers) and dies for insulated cable lugs 0.5 ... 2.5 mm² (1212074), non-insulated conduit lugs 0.5 ... 6 mm² (1212079) and ferrules 0.25 ... 10 mm² (1212080) and 16/25 mm² (1212081).

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Pointed pliers

Pointed pliers - UNIFOX-P VDE - 1212204

<https://www.phoenixcontact.com/de/produkte/1212204>



Needle-nose pliers with blade, notched grip area,
VDE 1000 V AC/1500 V DC tested

Tool

Tool - UNIFOX-WP - 1212365

<https://www.phoenixcontact.com/de/produkte/1212365>



Water pump pliers, with groove joint, grip areas with dual notching, acc. to
VDE ISO 8976

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Screwdriver

Screwdriver - SZS 0,4X2,5 VDE - 1205037

<https://www.phoenixcontact.com/de/produkte/1205037>



Screwdriver, slot-headed, VDE insulated, size: 0.4 x 2.5 x 80 mm, 2-component grip, with non-slip grip

Screwdriver

Screwdriver - SZS 0,5X3,0 VDE - 1207404

<https://www.phoenixcontact.com/de/produkte/1207404>



Screwdriver, slot-headed, VDE insulated, size: 0.5 x 3.0 x 100 mm, 2-component grip, with non-slip grip

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Screwdriver

Screwdriver - SZS 1,0X4,0 VDE - 1205066

<https://www.phoenixcontact.com/de/produkte/1205066>



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 4.0 x 100 mm, 2-component grip, with non-slip grip

Screwdriver

Screwdriver - SZS 1,0X6,5 VDE - 1205079

<https://www.phoenixcontact.com/de/produkte/1205079>



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 6.5 x 150 mm, 2-component grip, with non-slip grip

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Screwdriver

Screwdriver - SZK PH0 VDE - 1205147

<https://www.phoenixcontact.com/de/produkte/1205147>



Screwdriver, PH crosshead, VDE insulated, size: PH 0 x 80 mm, 2-component grip, with non-slip grip

Screwdriver

Screwdriver - SZK PH1 VDE - 1205150

<https://www.phoenixcontact.com/de/produkte/1205150>



Screwdriver, PH crosshead, VDE insulated, size: PH 1 x 80 mm, 2-component grip, with non-slip grip

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Screwdriver

Screwdriver - SZK PH2 VDE - 1205163

<https://www.phoenixcontact.com/de/produkte/1205163>



Screwdriver, PH crosshead, VDE insulated, size: PH 2 x 100 mm, 2-component grip, with non-slip grip

Voltage tester

Voltage tester - DUSPOL EXPERT - 1209091

<https://www.phoenixcontact.com/de/produkte/1209091>



Voltage tester, for DC and AC voltages from 12 V to 1000 V AC/1000 V DC, IP65

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Control cabinet key

Control cabinet key - USS 4 - 1203149

<https://www.phoenixcontact.com/de/produkte/1203149>



Control cabinet key, metal, for all common types of control cabinet

Range box

Range box - AI SORTI BOX RD - 3202960

<https://www.phoenixcontact.com/de/produkte/3202960>



Assortment box, supplied with ferrules according to DIN 46228-4: 1990-09, 50 pcs. of each. AI 0,5-8 WH, AI 2,5-8 BU, 100 pcs. AI 0,75-8 GY, AI 1-8 RD, AI 1,5-8 BK

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Range box

Range box - AI-TWIN SORTI BOX BU - 3202986

<https://www.phoenixcontact.com/de/produkte/3202986>



Assortment box, supplied with TWIN ferrules according to DIN 46228-4, CSA-certified, box contains 50 pcs. AI-TWIN 2x0,5-8 WH, AI-TWIN 2x0,75-8 GY, AI-TWIN 2x1-8 RD, AI-TWIN 2x1,5-8 BK, 25 pcs. AI-TWIN 2x2,5-10 BU

Toolbox

Toolbox - TOOL-CASE EMPTY - 1212628

<https://www.phoenixcontact.com/de/produkte/1212628>



Tool case, unequipped, can be locked, with rubber straps to hold tools in place

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Screwdriver

Screwdriver - SF-THEX 2,5-100 - 1212638

<https://www.phoenixcontact.com/de/produkte/1212638>



T-handle screwdriver, for Allen screws, hexagonal (with chamfer), size: hex 2.5 x 100 mm, ergonomically shaped handle, matt chrome-plated

Screwdriver

Screwdriver - SF-THEX 3-100 - 1212639

<https://www.phoenixcontact.com/de/produkte/1212639>



T-handle screwdriver, for Allen screws, hexagonal (with chamfer), size: hex 3 x 100 mm, ergonomically shaped handle, matt chrome-plated

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>



Screwdriver

Screwdriver - SF-THEX 4-150 - 1212640

<https://www.phoenixcontact.com/de/produkte/1212640>



T-handle screwdriver, for Allen screws, hexagonal (with chamfer), size: hex 4 x 150 mm, ergonomically shaped handle, matt chrome-plated

Screwdriver

Screwdriver - SF-THEX 5-150 - 1212641

<https://www.phoenixcontact.com/de/produkte/1212641>



T-handle screwdriver, for Allen screws, hexagonal (with chamfer), size: hex 5 x 150 mm, ergonomically shaped handle, matt chrome-plated

Toolbox - TOOL-CASE

1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Tool set

Tool set - SF-SOCKET SET 47 - 1200292

<https://www.phoenixcontact.com/de/produkte/1200292>



1/4" socket set, 47-piece, 1/4" reversible ratchet, 48 teeth with fast locking system, 50 mm and 100 mm 1/4" extensions, 1/4" screwdriver handle, 150 mm 1/4" flexible extension, 1/4" Cardan joint, 1/4" T-handle
2 x 1/4" bit adapter, 13 knurled 1/4" sockets, wrench size: 4 / 4.5 / 5 / 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 mm, 21 knurled socket bits: 6 x Torx® T10, T15, T20, T25, T30, T40, 6 x Hex 3, 4, 5, 6, 7, 8 mm, 3 x Phillips recess® PH1, PH2, PH3, 3 x Pozidriv® PZ1, PZ2, PZ3, 3 x slotted 4, 5.5, 7 mm, Allen wrench Hex 1.27, 1.5, 2, 2.5 mm, breakage and impact-resistant plastic case with metal fastening

Measuring instrument

Measuring instrument - MEASURING TAPE 5M I/M - 1200304

<https://www.phoenixcontact.com/de/produkte/1200304>



Measuring tape with automatic tape feed and locking mechanism, measuring rail: imperial/metric, length: 5 m

Technical Data

Notes

General	Tool case
Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Tool set
Set consists of	1212128 CUTFOX 12
	1212207 CUTFOX-S VDE
	1212489 MICROFOX-SB
	1212150 WIREFOX 10
	1212162 WIREFOX-D 13
	1212174 WIREFOX-D 28
	1212160 WIREFOX-D 11
	1212093 CRIMPFOX-M SET
	1212073 CRIMPFOX-M RCI 6/DIE
	1212202 UNIFOX-C VDE
	1212204 UNIFOX-P VDE
	1212365 UNIFOX-WP
	1205037 SZS 0,4X2,5 VDE
	1207404 SZS 0,5X3,0 VDE
	1205066 SZS 1,0X4,0 VDE
	1205079 SZS 1,0X6,5 VDE
	1205147 SZK PH0 VDE
	1205150 SZK PH1 VDE
	1205163 SZK PH2 VDE
	1209091 DUSPOL EXPERT
	1203149 USS 4
	3202960 AI SORTI BOX RD
	3202986 AI-TWIN SORTI BOX BU
	1212628 TOOL-CASE EMPTY
	1212638 SF-THEX 2,5-100
	1212639 SF-THEX 3-100
	1212640 SF-THEX 4-150
1212641 SF-THEX 5-150	
1200292 SF-SOCKET SET 47	
1200304 MEASURING TAPE 5M I/M	

Dimensions

Width	260 mm
-------	--------

Toolbox - TOOL-CASE



1212629

<https://www.phoenixcontact.com/de/produkte/1212629>

Height	270 mm
Depth	260 mm
Length	510 mm

Material specifications

Material	Polyester
----------	-----------

Classifications

ECLASS

ECLASS-9.0	21045003
ECLASS-10.0.1	21045003
ECLASS-11.0	21045003

ETIM

ETIM 8.0	EC000149
----------	----------

UNSPSC

UNSPSC 21.0	27113200
-------------	----------

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH

Flachmarktstraße 8

D-32825 Blomberg

+49 52 35/3-1 20 00

info@phoenixcontact.de