

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Sealing frame with locking latch, size B24, with flat gasket, for 10 small sleeves

Your advantages

- Can also be used for standard panel cutouts for heavy-duty industrial connectors

Commercial Data

Item number	0801661
Packing unit	1 pc
Minimum order quantity	1 pc
Product Key	BF7CAX
Catalog Page	Page 676 (C-2-2019)
GTIN	4046356674119
Weight per Piece (including packing)	179.5 g
Weight per Piece (excluding packing)	171 g
Customs tariff number	39269097
Country of origin	PL

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Technical Data


Notes

Note on application	Mounting screws not supplied as standard. The maximum width of the panel cutout must not exceed 51 mm (instead of 35 mm for heavy-duty industrial connectors).
---------------------	--

Product properties

Type	B24
Product type	Frame for cable sleeves
Locking type	With locking latch
Frame type	Sealing frame

Dimensions

Dimensional drawing	
Width	58 mm
Height	20 mm
Length	147 mm
Drill hole distance, horizontal	32 mm
Drill hole distance, vertical	130 mm
Hole diameter	5.5 mm

Installation dimensions

Width of the assembly cutout	35 mm
Length of the assembly cutout	113 mm

Material specifications

Color	black
Material	PA (halogen-free)
Flammability rating according to UL 94	V0

Characteristics

Number of cable seals	2 ... 10 (small seals, depending on the number of large seals installed)
	0 ... 2 (large seals, depending on the number of small seals installed)

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP54
Ambient temperature (operation)	-40 °C ... 120 °C (static)

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Mounting

Assembly instructions

One large sleeve requires the space of 4 small sleeves, M4 mounting screws (ISO 4762/DIN 912), torque for mounting screw: 1.8 Nm

A video tutorial on how to assemble the product can be found in the Downloads area, in the Video category.


Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>


Drawings

Dimensional drawing



Dimensional drawing

Dimensional drawing



Mounting cutout

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Approvals



cUL Recognized

Approval ID: NITW8.E255026



UL Recognized

Approval ID: NITW2.E255026

DNV

Approval ID: TAE00003VJ

cULus Recognized

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Classifications

ECLASS

ECLASS-9.0	27142421
ECLASS-10.0.1	27142421
ECLASS-11.0	27142421

ETIM

ETIM 8.0	EC000211
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>



Accessories

Flat gasket

Flat gasket - CES-B24-WRG-BK - 0801727

<https://www.phoenixcontact.com/pc/products/0801727>

Flat gasket made of NBR, size B24



Snap-on frame

Snap-on frame - CES-B24-SF-PLBK - 0801647

<https://www.phoenixcontact.com/pc/products/0801647>

Snap-on frame, design: B24, material: PA (halogen-free), color: black, length: 155 mm, width: 64 mm, height: 39 mm



Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Screw insert

Screw insert - SF-BIT-HEX 3-50 - 1212647

<https://www.phoenixcontact.com/pc/products/1212647>



Screw bit, hexagon, E6.3-1/4" drive, size: Hex 3 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

Screw

Screw - CES-SFFS-H - 0801728

<https://www.phoenixcontact.com/pc/products/0801728>



M4 replacement screw with 4 mm Allen screw head for sealing frame with screw locking

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Screwdriver

Screwdriver - SF-M BH - 1212070

<https://www.phoenixcontact.com/pc/products/1212070>




Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic

Cable sleeve

Cable sleeve - CES-STPG-GY-2 - 0801672

<https://www.phoenixcontact.com/pc/products/0801672>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 1 mm ... 2 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-3 - 0801673

<https://www.phoenixcontact.com/pc/products/0801673>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 2 mm ... 3 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-4 - 0801674

<https://www.phoenixcontact.com/pc/products/0801674>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 3 mm ... 4 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-5 - 0801675

<https://www.phoenixcontact.com/pc/products/0801675>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 4 mm ... 5 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-6 - 0801676

<https://www.phoenixcontact.com/pc/products/0801676>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 5 mm ... 6 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-7 - 0801677

<https://www.phoenixcontact.com/pc/products/0801677>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 6 mm ... 7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-8 - 0801679

<https://www.phoenixcontact.com/pc/products/0801679>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 7 mm ... 8 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-9 - 0801680

<https://www.phoenixcontact.com/pc/products/0801680>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 8 mm ... 9 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-10 - 0801682

<https://www.phoenixcontact.com/pc/products/0801682>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 9 mm ... 10 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-11 - 0801683

<https://www.phoenixcontact.com/pc/products/0801683>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 10 mm ... 11 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-12 - 0801684

<https://www.phoenixcontact.com/pc/products/0801684>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 11 mm ... 12 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-13 - 0801685

<https://www.phoenixcontact.com/pc/products/0801685>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 12 mm ... 13 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-14 - 0801686

<https://www.phoenixcontact.com/pc/products/0801686>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 13 mm ... 14 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-15 - 1410521

<https://www.phoenixcontact.com/pc/products/1410521>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 13.9 mm ... 14.2 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-16 - 1410534

<https://www.phoenixcontact.com/pc/products/1410534>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 14.9 mm ... 15.2 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-17 - 1410547

<https://www.phoenixcontact.com/pc/products/1410547>




Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 15.9 mm ... 16.2 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-15 - 0801687

<https://www.phoenixcontact.com/pc/products/0801687>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 14 mm ... 15 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-16 - 0801688

<https://www.phoenixcontact.com/pc/products/0801688>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 15 mm ... 16 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-17 - 0801689

<https://www.phoenixcontact.com/pc/products/0801689>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 16 mm ... 17 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-18 - 0801690

<https://www.phoenixcontact.com/pc/products/0801690>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 17 mm ... 18 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-19 - 0801691

<https://www.phoenixcontact.com/pc/products/0801691>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 18 mm ... 19 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-20 - 0801692

<https://www.phoenixcontact.com/pc/products/0801692>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 19 mm ... 20 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-21 - 0801693

<https://www.phoenixcontact.com/pc/products/0801693>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 20 mm ... 21 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-22 - 0801695

<https://www.phoenixcontact.com/pc/products/0801695>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 21 mm ... 22 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-23 - 0801696

<https://www.phoenixcontact.com/pc/products/0801696>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 22 mm ... 23 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-24 - 0801697

<https://www.phoenixcontact.com/pc/products/0801697>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 23 mm ... 24 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-25 - 0801698

<https://www.phoenixcontact.com/pc/products/0801698>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 24 mm ... 25 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-26 - 0801699

<https://www.phoenixcontact.com/pc/products/0801699>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 25 mm ... 26 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-27 - 0801700

<https://www.phoenixcontact.com/pc/products/0801700>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 26 mm ... 27 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-28 - 0801701

<https://www.phoenixcontact.com/pc/products/0801701>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 27 mm ... 28 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-29 - 0801702

<https://www.phoenixcontact.com/pc/products/0801702>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 28 mm ... 29 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-30 - 0801703

<https://www.phoenixcontact.com/pc/products/0801703>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 29 mm ... 30 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-31 - 0801705

<https://www.phoenixcontact.com/pc/products/0801705>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 30 mm ... 31 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LTPG-GY-32 - 0801706

<https://www.phoenixcontact.com/pc/products/0801706>




Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 31 mm ... 32 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LTPG-GY-33 - 0801707

<https://www.phoenixcontact.com/pc/products/0801707>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 32 mm ... 33 mm, material: SEBS (halogen-free), color: gray, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-2X3 - 1410424

<https://www.phoenixcontact.com/pc/products/1410424>




Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 2.4 mm ... 2.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-2X4 - 1410438

<https://www.phoenixcontact.com/pc/products/1410438>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 3.4 mm ... 3.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-2X5 - 0801708

<https://www.phoenixcontact.com/pc/products/0801708>




Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 4 mm ... 5 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-2X6 - 0801709

<https://www.phoenixcontact.com/pc/products/0801709>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 5 mm ... 6 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-2X7 - 1410110

<https://www.phoenixcontact.com/pc/products/1410110>




Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 6.4 mm ... 6.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-2X8 - 1410123

<https://www.phoenixcontact.com/pc/products/1410123>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 7.4 mm ... 7.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-2X9 - 1410440

<https://www.phoenixcontact.com/pc/products/1410440>




Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 8.4 mm ... 8.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-4X3 - 0801710

<https://www.phoenixcontact.com/pc/products/0801710>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 2 mm ... 3 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-4X4 - 0801711

<https://www.phoenixcontact.com/pc/products/0801711>




Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 3 mm ... 4 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-STPG-GY-4X5 - 1410136

<https://www.phoenixcontact.com/pc/products/1410136>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 4.4 mm ... 4.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-STPG-GY-4X6 - 1410149

<https://www.phoenixcontact.com/pc/products/1410149>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 5.4 mm ... 5.7 mm, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-2 - 0801635

<https://www.phoenixcontact.com/pc/products/0801635>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 1 mm ... 2 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-3 - 0801633

<https://www.phoenixcontact.com/pc/products/0801633>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 2 mm ... 3 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-4 - 0801632

<https://www.phoenixcontact.com/pc/products/0801632>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 3 mm ... 4 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-5 - 0801630

<https://www.phoenixcontact.com/pc/products/0801630>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 4 mm ... 5 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-6 - 0801628

<https://www.phoenixcontact.com/pc/products/0801628>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 5 mm ... 6 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-7 - 0801627

<https://www.phoenixcontact.com/pc/products/0801627>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 6 mm ... 7 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-8 - 0801625

<https://www.phoenixcontact.com/pc/products/0801625>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 7 mm ... 8 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-9 - 0801622

<https://www.phoenixcontact.com/pc/products/0801622>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 8 mm ... 9 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-10 - 0801620

<https://www.phoenixcontact.com/pc/products/0801620>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 9 mm ... 10 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-11 - 0801618

<https://www.phoenixcontact.com/pc/products/0801618>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 10 mm ... 11 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-12 - 0801617

<https://www.phoenixcontact.com/pc/products/0801617>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 11 mm ... 12 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-13 - 0801616

<https://www.phoenixcontact.com/pc/products/0801616>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 12 mm ... 13 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-14 - 0801615

<https://www.phoenixcontact.com/pc/products/0801615>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 13 mm ... 14 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-15 - 1410563

<https://www.phoenixcontact.com/pc/products/1410563>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 14 mm ... 15 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-16 - 1410576

<https://www.phoenixcontact.com/pc/products/1410576>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 15 mm ... 16 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-17 - 1410589

<https://www.phoenixcontact.com/pc/products/1410589>



Cable sleeve, small, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 16 mm ... 17 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-15 - 0801619

<https://www.phoenixcontact.com/pc/products/0801619>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 14 mm ... 15 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-16 - 0801621

<https://www.phoenixcontact.com/pc/products/0801621>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 15 mm ... 16 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-17 - 0801624

<https://www.phoenixcontact.com/pc/products/0801624>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 16 mm ... 17 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-18 - 0801626

<https://www.phoenixcontact.com/pc/products/0801626>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 17 mm ... 18 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-19 - 0801629

<https://www.phoenixcontact.com/pc/products/0801629>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 18 mm ... 19 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-20 - 0801631

<https://www.phoenixcontact.com/pc/products/0801631>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 19 mm ... 20 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-21 - 0801634

<https://www.phoenixcontact.com/pc/products/0801634>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 20 mm ... 21 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-22 - 0801637

<https://www.phoenixcontact.com/pc/products/0801637>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 21 mm ... 22 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-23 - 0801638

<https://www.phoenixcontact.com/pc/products/0801638>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 22 mm ... 23 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-24 - 0801639

<https://www.phoenixcontact.com/pc/products/0801639>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 23 mm ... 24 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-25 - 0801640

<https://www.phoenixcontact.com/pc/products/0801640>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 24 mm ... 25 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-26 - 0801643

<https://www.phoenixcontact.com/pc/products/0801643>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 25 mm ... 26 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-27 - 0801644

<https://www.phoenixcontact.com/pc/products/0801644>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 26 mm ... 27 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-28 - 0801646

<https://www.phoenixcontact.com/pc/products/0801646>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 27 mm ... 28 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-29 - 0801648

<https://www.phoenixcontact.com/pc/products/0801648>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 28 mm ... 29 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-30 - 0801650

<https://www.phoenixcontact.com/pc/products/0801650>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 29 mm ... 30 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-31 - 0801653

<https://www.phoenixcontact.com/pc/products/0801653>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 30 mm ... 31 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK


0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-LRG-BK-32 - 0801654

<https://www.phoenixcontact.com/pc/products/0801654>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 31 mm ... 32 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRG-BK-33 - 0801656

<https://www.phoenixcontact.com/pc/products/0801656>



Cable sleeve, large, no. of conductors: 1, type: Round cable, slotted, external cable diameter: 1x 32 mm ... 33 mm, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-2X3 - 1410398

<https://www.phoenixcontact.com/pc/products/1410398>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 2 mm ... 3 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-2X4 - 1410408

<https://www.phoenixcontact.com/pc/products/1410408>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 3 mm ... 4 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-2X5 - 0801657

<https://www.phoenixcontact.com/pc/products/0801657>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 4 mm ... 5 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-2X6 - 0801664

<https://www.phoenixcontact.com/pc/products/0801664>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 5 mm ... 6 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-2X7 - 1410084

<https://www.phoenixcontact.com/pc/products/1410084>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 6 mm ... 7 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-2X8 - 1410097

<https://www.phoenixcontact.com/pc/products/1410097>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 7 mm ... 8 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-2X9 - 1410411

<https://www.phoenixcontact.com/pc/products/1410411>



Cable sleeve, small, no. of conductors: 2, type: Round cable, slotted, external cable diameter: 2x 8 mm ... 9 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-4X3 - 0801665

<https://www.phoenixcontact.com/pc/products/0801665>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 2 mm ... 3 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-4X4 - 0801666

<https://www.phoenixcontact.com/pc/products/0801666>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 3 mm ... 4 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-SRG-BK-4X5 - 1410107

<https://www.phoenixcontact.com/pc/products/1410107>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 4 mm ... 5 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Cable sleeve

Cable sleeve - CES-SRG-BK-4X6 - 1410152

<https://www.phoenixcontact.com/pc/products/1410152>



Cable sleeve, small, no. of conductors: 4, type: Round cable, slotted, external cable diameter: 4x 5 mm ... 6 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Cable sleeve

Cable sleeve - CES-LRC-BK - 0801719

<https://www.phoenixcontact.com/pc/products/0801719>



Cable sleeve, large, no. of conductors: 1, type: Round cable, closed, external cable diameter: 1x 7 mm ... 24 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK

0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Blind sleeve

Blind sleeve - CES-LRG-BK - 0801671

<https://www.phoenixcontact.com/pc/products/0801671>

Blind sleeve, large, no. of conductors: 0, type: Blind sleeve, closed, material: NBR, color: black, length: 53 mm, width: 39 mm, height: 17 mm



Cable sleeve

Cable sleeve - CES-SRC-BK - 0801718

<https://www.phoenixcontact.com/pc/products/0801718>

Cable sleeve, small, no. of conductors: 1, type: Round cable, closed, external cable diameter: 1x 2 mm ... 11 mm, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm



Sealing frame - CES-B24-HFFS-PLBK



0801661

<https://www.phoenixcontact.com/pc/products/0801661>

Blind sleeve

Blind sleeve - CES-SRG-BK - 0801670

<https://www.phoenixcontact.com/pc/products/0801670>




Blind sleeve, small, no. of conductors: 0, type: Blind sleeve, closed, material: NBR, color: black, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Blind sleeve

Blind sleeve - CES-STPG-GY - 0801715

<https://www.phoenixcontact.com/pc/products/0801715>



Blind sleeve, small, no. of conductors: 0, type: Blind sleeve, closed, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm

Sealing frame - CES-B24-HFFS-PLBK



0801661


<https://www.phoenixcontact.com/pc/products/0801661>

Blind sleeve

Blind sleeve - CES-LTPG-GY - 0801716

<https://www.phoenixcontact.com/pc/products/0801716>

Blind sleeve, large, no. of conductors: 0, type: Blind sleeve, closed, material: SEBS (halogen-free), color: gray, length: 29.5 mm, width: 19.5 mm, height: 17 mm



Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com