

Panel PC - BL2 PPC7 1201-4/64-W10



1274012

<https://www.phoenixcontact.com/pc/products/1274012>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



IP65 panel PC (PPC) with 7-inch screen, Intel® Celeron® N3350 processor, 4 GB of RAM, 64 GB mSATA SSD, and Windows 10 IoT Enterprise LTSC 2019 operating system.

Commercial Data

Item number	1274012
Packing unit	1 pc
Minimum order quantity	1 pc
Product Key	DRBABB
GTIN	4063151465599
Weight per Piece (including packing)	1,848 g
Weight per Piece (excluding packing)	1,818 g
Customs tariff number	84714100
Country of origin	TW

Technical Data

Product properties

Product type	Panel PC
--------------	----------

Computer data

Processor	Intel® Celeron® N3350
Operating system	Windows® 10 IoT Enterprise LTSC 2019 (64-bit), Multi-language
Cooling	passive
RAM	4 GB DDR3 SODIMM
Data storage	64 GB M.2 SSD

Display

Display type	17.8 cm/7" TFT
Screen resolution	1024 x 600 Pixel(s) (WVGA)
Touch technology	projective-capacitive (PCAP)
Display lighting type	LED
Brightness	300 cd/m ² , typical (adjustable)
MTBF	> 20000 h
Color spectrum	16.2 million colors
Reading angle bottom	10-point touch

Electrical properties

Service life of battery	5 years (typical)
-------------------------	-------------------

Supply

Power supply unit	24 V DC ±20 %
Max. current consumption	1.07 A

Real-time clock

Realtime clock	Yes (battery-backed)
----------------	----------------------

Interfaces

Interfaces	1x COM (RS-232)
	1x USB 2.0
	2x USB 3.0
	2x COM (RS-232/422/485)
Monitor output	1x HDMI
Network	2x Ethernet (10/100/1000 Mbps), RJ45
LAN chipset	Intel® I210-AT

Software

User software	without user software
---------------	-----------------------

Dimensions

Panel PC - BL2 PPC7 1201-4/64-W10



1274012

<https://www.phoenixcontact.com/pc/products/1274012>

External dimensions

Width / Height / Depth	196 mm / 134 mm / 48 mm
------------------------	-------------------------

Installation dimensions

Width / Height / Installation depth	186 mm / 124 mm / (Panel cutout for 7" display)
-------------------------------------	---

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65 (front), IP20 (back)
Ambient temperature (operation)	-5 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C
Permissible humidity (operation)	10 % ... 90 % (non-condensing)
Permissible humidity (storage/transport)	10 % ... 90 % (non-condensing)
Shock	20g, 11 ms in accordance with IEC 60068-2-27
Vibration (operation)	DIN EN 60068-2-6

Mounting

Mounting type	Panel cutout or VESA mount
---------------	----------------------------

Panel PC - BL2 PPC7 1201-4/64-W10



1274012

<https://www.phoenixcontact.com/pc/products/1274012>

Approvals



EAC

Approval ID: RU C-DE.A*08.B01708



UL Listed

Approval ID: FILE E 238705



cUL Listed

Approval ID: FILE E 238705



EAC

Approval ID: RU*-DE*HB.B.00386/20

cULus Listed

Panel PC - BL2 PPC7 1201-4/64-W10



1274012

<https://www.phoenixcontact.com/pc/products/1274012>

Classifications

ECLASS

ECLASS-9.0	19200103
ECLASS-10.0.1	19200103
ECLASS-11.0	19200103

ETIM

ETIM 8.0	EC001414
----------	----------

UNSPSC

UNSPSC 21.0	43211500
-------------	----------

Panel PC - BL2 PPC7 1201-4/64-W10



1274012

<https://www.phoenixcontact.com/pc/products/1274012>

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 10; For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"
------------	---

Panel PC - BL2 PPC7 1201-4/64-W10



1274012


<https://www.phoenixcontact.com/pc/products/1274012>

Accessories

Visualization software

Visualization software - VISU+ IPC UPGRADE - 1310994

<https://www.phoenixcontact.com/pc/products/1310994>



Visu+ IPC UPGRADE product is a made-to-order upgrade to the Visu+ HMI runtime that was originally ordered with your Phoenix Contact IPC system.

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com